

SPECIAL PACKAGING INSTRUCTION

*Form Approved
OMB No. 0704-0188*

**-BK
JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKFO) HMEE-1 B-KIT			2. CAGE 19207		3. SPI NO. AK15659262	
4. NATIONAL STOCK NO. 2540-01-565-9262			5. DATE 6/10/09		6. REVISION	
7. QUP 1 EACH	8. ICQ NONE	9. UNIT PACK WT (LB.) 5840.0	10. UNIT PACK CU (CU. FT.) 327.328		11. UNIT PACK SIZE (INCHES) 127.8 X 68.3 X 64.8	
12. MILITARY PRESERVATION MIL-STD-2073-1D METHOD 10			18. STEPS	19. REQD	20. DESCRIPTION	
13. CLEANING MIL-STD-2073-1D & NOTE B					SEE NOTES	
14. DRYING MIL-STD-2073-1D & NOTE B						
15. PACKING						
a. LEVEL A MIL-STD-2073-1D & NOTE HN						
b. LEVEL B NOT APPLICABLE						
16. MARKING MIL-STD-129						

17. NOTES/DRAWING

A. PRESERVATION AND PACKING SHALL BE INSPECTED IN ACCORDANCE WITH MIL-STD-2073-1D AND ANY APPLICABLE CONTAINER SPECIFICATIONS.

B. CLEAN AND DRY ITEM BY ANY SUITABLE PROCESS BEFORE APPLICATION OF PRESERVATIVE AND PACKAGING MATERIALS.

C. "SPN" REFERECED IN THIS DOCUMENT REFERS TO SEGREGATED PACK NUMBER.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

THE HMEE TYPE-1 B-KIT CONTAINS THE FOLLOWING ITEMS.

INSTALLATION AND SPARE HARDWARE

<u>SPN</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
1	100	1/2-13 x 2" Hex Cap Screw	B1821BH050C200N	80204	SEE NOTE A
2	84	1/2"-13 x 2-1/2" Hex Cap Screw	1310/1918Z	OJKF0	SEE NOTE B
3	218	1/2" Washer (USS)	90108A033	39428	SEE NOTE C
4	1	3/8"-16 x 2" Hex Bolt	347/23755	31UG4	SEE NOTE D
5	8	#10-32 x 1/2" Socket Cap Screw	90128A942	39428	SEE NOTE E
6	5	1/2"-13 x 3" Hex Cap Screw	91257A724	39428	SEE NOTE F
7	7	1/2"-13 x 3-1/2" Hex Cap Screw	92620A726	39428	SEE NOTE G
8	6	1/4"-20 x 1" Hex Cap Screw	1310/1506Z	OJKF0	SEE NOTE H
9	10	1/4"-20 x 3/4" Flat Socket Cap Screw	347-23879	31UG4	SEE NOTE I
10	3	1/4"-20 x 1/2" Hex Cap Screw	92620A537	39428	SEE NOTE J
11	5	1/4"-20 x 1/2" Socket Cap Screw	90128A242	39428	SEE NOTE K
12	6	5/16"-18 x 5/8" Socket Cap Screw	92620A579	39428	SEE NOTE L
13	2	5/16"-18 x 1" Hex Cap Screw	92620A583	39428	SEE NOTE M
14	4	5/16"-18 x 1 Flat Cap Screw	91263A575	39428	SEE NOTE N
15	2	5/16"-18 x 1-1/2 Hex Cap Screw	347-23752	31UG4	SEE NOTE O
16	3	5/16"-18 x 2" Socket Cap Screw	92620A591	39428	SEE NOTE P
17	2	5/8"-11 x 2-1/2 Hex Cap Screw	92620A804	39428	SEE NOTE Q
18	12	M8 x 1.25-35mm Hex Cap Screw	347-23938	31UG4	SEE NOTE R
19	10	M8 x 1.25-45mm Hex Cap Screw	347-23939	31UG4	SEE NOTE S
20	4	M8 x 1.25-60mm Hex Cap Screw	90854A18	39428	SEE NOTE T
21	5	M10 x 1.5-45mm Hex Cap Screw	90854A201	39428	SEE NOTE U
22	8	M12 x 1.75-45mm Hex Cap Screw	90854A235	39428	SEE NOTE V
23	1	Electrical Tape	347-23903	31UG4	SEE NOTE W
24	1	1/4" Lock Washer - External Tooth	91114A029	39428	SEE NOTE X
25	8	# 10 Lock Washer	347-23869	31UG4	SEE NOTE Y
26	47	1/2" Lock Washer	91104A033	2V507	SEE NOTE Z
27	9	1/4" Lock Washer	1416/0004Z	OJKF0	SEE NOTE AA
28	5	3/8" Lock Washer	91104A031	39428	SEE NOTE AB
29	12	5/16" Lock Washer	91102A030	39428	SEE NOTE AC
30	2	5/8" Lock Washer	91104A035	39428	SEE NOTE AD
31	26	M8 Lock washer	91202A238	39428	SEE NOTE AE
32	5	M10 Lock Washer	91202A242	39428	SEE NOTE AF
33	6	M12 Lock Washer	91202A246	39428	SEE NOTE AG
34	6	5/16"-18 Lock Nut – Flanged	93298A120	39428	SEE NOTE AH
35	17	1/2"-13 Nut	94895A823	39428	SEE NOTE AI
36	6	5/16"-18 Nut	94895A030	39428	SEE NOTE AJ
37	4	7-16"-14 Nut	94895A817	39428	SEE NOTE AK
38	2	5/8"-11 Nut	94895A035	39428	SEE NOTE AL
39	10	#8 Self Tapping Screw	91515A200	39428	SEE NOTE AM
40	10	#8 Washer	94744A224	39428	SEE NOTE AN
41	8	#10 Washer	90108A411	39428	SEE NOTE AO
42	10	1/4" Washer (SAE)	1411/0001Z	K7599	SEE NOTE AP
43	7	3/8" Washer (USS)	98026A031	39428	SEE NOTE AQ
44	14	5/16" Washer (USS)	90108A030	39428	SEE NOTE AR
45	6	5/16" Washer (SAE)	94744A245	39428	SEE NOTE AS
46	4	7/16" Washer (USS)	90108A032	39428	SEE NOTE AT
47	4	5/8" Washer (USS)	98026A035	39428	SEE NOTE AU
48	26	M8 Washer Large OD	347-23913	31UG4	SEE NOTE AV
49	5	M10 Washer Large OD	91100A170	39428	SEE NOET AW
50	6	M12 Washer Large OD	91100A180	39428	SEE NOTE AX
51	10	M12 Washer 24mm OD	347-23957	31UG4	SEE NOTE AY

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

INSTALLATION AND SPARE HARDWARE CONT.

<u>SPN</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
52	2	1/2"-13 Knob	347-22986	31UG4	SEE NOTE AZ
53	5	Vibration Insulator Mounts	CB-1121-4	76005	SEE NOTE BA
54	5	Tail Washer	J-2049-63	76005	SEE NOTE BB
55	5	Head Washer	J-2049-64	76005	SEE NOTE BC
56	6	Washer Gasket	347-23857	31UG4	SEE NOTE BD
57	2	Corner Protectors	8847T68	31UG4	SEE NOTE BE
58	2	Bracket	347-23742	31UG4	SEE NOTE BF
59	2	16" Wire Extension	347-23757	31UG4	SEE NOTE BG
60	2	60" Wire Extension	347-23864	31UG4	SEE NOTE BH
61	1	1/2" Split Flex Tubing	7840K93	39428	SEE NOTE BI
62	25(EACH)	Zip Ties and Mounts	7130K52 & 7582K11	31UG4	SEE NOTE BJ
63	4	Spring Clip	347-23884	31UG4	SEE NOTE BK
64	8	Pop Rivets	347-23313	31UG4	SEE NOTE BL
65	8	Easy Drive Nail Fastener	347-23885	31UG4	SEE NOTE BM
66	8	Red Grease Fitting Dust Cap	347-23897	31UG4	SEE NOTE BN
67	2	Blind Grommet	10108-A60	31UG4	SEE NOTE BO
68	1	Safety Tape	6052T1	31UG4	SEE NOTE BP
69	4	Male Defroster Terminals	347/23741	OJKF0	SEE NOTE BQ
70	1	Gas Door Cylinder	347-23291	31UG4	SEE NOTE BS
71	1	Decals B-Kit	332-D2477	31UG4	SEE NOTE BT
72	15 ft.	Gasket - Sealing Foam Strip	347-23888	31UG4	SEE NOTE BU
73	40 ft.	Backer Rod	EF12B	31UG4	SEE NOTE BV
74	1	Combat Rescue Wrench	347-23881	31UG4	SEE NOTE BW
75	1	Anti-Seize Compound	347-23882	31UG4	SEE NOTE BX
76	1	Loc-Tite 243 (Blue), 50ml	91458A26	31UG4	SEE NOTE BY
77	5	Sikaflex 227 Caulk 10 oz, Tan	347-23883	31UG4	SEE NOTE CA
78	2	Project1 100% Silicone Sealant	6005-CL	31UG4	SEE NOTE CB
79	1	Instruction Manual	347-23904	OJKF0	SEE NOTE CC
80	1	A-Kit Repack Instructions	N/A	N/A	SEE NOTE CD
81	1	Transportation Data Plate	332/D1787	31UG4	SEE NOTE CE
82	4	AAP- Shims	347-23320	OJKF0	SEE NOTE CF
83	4	FP-Shims	347-23311	OJKF0	SEE NOTE CG
N/A	3	Touch-up CARC Paint	347/23902	OJKF0	SEE NOTE CH

- A. PREPARE ONE HUNDRED (100) 1/2-13 x 2" HEX CAP SCREWS, P/N B1821BH050C200N, IN ACCORDANCE WITH THE STEPS BELOW:
1. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 6 X 6 X 6
 2. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3
 3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "1"
 4. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.
- B. PREPARE EIGHTY FOUR (84) 1/2-13 x 2-1/2" HEX CAP SCREWS, P/N 1310/1918Z, IN ACCORDANCE WITH THE STEPS BELOW:
1. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 6 X 6 X 6
 2. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3
 3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "2"
 4. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

- C. PREPARE TWO HUNDRED EIGHTEEN (218) 1/2" WASHER (USS), P/N 90108A33, IN ACCORDANCE WITH THE STEPS BELOW:
1. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 4 X 4 X 4
 2. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3
 3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "3"
 4. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.
- D. PREPARE ONE (1) 3/8"-16 x 2" HEX BOLT, P/N 347-23755, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "4"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- E. PREPARE EIGHT (8) #10-32 x 1/2" SOCKET CAP SCREW, P/N 90128A942, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "5"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- F. PREPARE FIVE (5) 1/2" x 3" HEX CAP SCREW, P/N 91257A724, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "6"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- G. PREPARE SEVEN (7) 1/2" x 3-1/2" HEX CAP SCREW, P/N 92620A726, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "7"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- H. PREPARE SIX (6) 1/4"-20 x 1" HEX CAP SCREW, P/N 1310/1506Z, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "8"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- I. PREPARE TEN (10) 1/4"-20 x 3/4" SOCKET CAP SCREW, P/N 347-23879, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "9"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- J. PREPARE THREE (3) 1/4"-20 x 1/2" HEX CAP SCREW, P/N 92620A537, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "10"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- K. PREPARE FIVE (5) 1/4"-20 x 1/2" SOCKET CAP SCREW, P/N 90128A242, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "11"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- L. PREPARE SIX (6) 5/16"-18 x 5/8" SOCKET CAP SCREW, P/N 92620A579, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "12"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (0JKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

- M. PREPARE TWO (2) 5/16"-18 x 1" HEX CAP SCREW, P/N 92620A583, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "13"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- N. PREPARE FOUR (4) 5/16"-18 x 1" FLAT CAP SCREW, P/N 91263A575, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "14"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- O. PREPARE TWO (2) 5/16"-18 x 1-1/2" HEX CAP SCREW, P/N 347-23752, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "15"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- P. PREPARE THREE (3) 5/16"-18 x 2" SOCKET CAP SCREW, P/N 92620A591, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "16"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- Q. PREPARE TWO (2) 5/8"-1 x 2-1/2" HEX CAP SCREW, P/N 92620A804, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "17"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- R. PREPARE TWELVE (12) M8 x 1.25-35mm HEX CAP SCREW, P/N 347-23938, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "18"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- S. PREPARE TEN (10) M8 x 1.25-45mm HEX CAP SCREW, P/N 347-23939, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "19"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- T. PREPARE FOUR (4) M8 x 1.25-60mm HEX CAP SCREW, P/N 90854A18, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "20"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- U. PREPARE FIVE (5) M10 x 1.5-45mm HEX CAP SCREW, P/N 90854A201, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "21"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- V. PREPARE EIGHT (8) M12 x 1.75-45mm HEX CAP SCREW, P/N 90854A235, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "22"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- W. PREPARE ONE (1) ELECTRICAL TAPE, P/N 347-23903, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "23"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

- X. PREPARE ONE (1) 1/4" LOCK WASHER – EXTERNAL TOOTH, P/N 91114A029, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "24"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- Y. PREPARE EIGHT (8) #10 LOCK WASHER, P/N 347-23869, IN ACCORDANCE WITH THE STEPS BELOW:
4. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "25"
 6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- Z. PREPARE FORTY SEVEN (47) 1/2" LOCK WASHER", P/N 91104A033, IN ACCORDANCE WITH THE STEPS BELOW:
7. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 8. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "26"
 9. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AA. PREPARE NINE (9) 1/4" LOCK WASHER, P/N 1416/0004Z, IN ACCORDANCE WITH THE STEPS BELOW:
10. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 11. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "27"
 12. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AB. PREPARE FIVE (5) 3/8" LOCK WASHER, P/N 91104A031, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "28"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AC. PREPARE TWELVE (12) 5/16" LOCK WASHER, P/N 911002A030, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "29"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AD. PREPARE TWO (2) 5/8" LOCK WASHER, P/N 91104A035, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "30"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AE. PREPARE TWENTY SIX (26) M8 LOCK WASHER, P/N 91202A238, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "31"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AF. PREPARE FIVE (5) M10 LOCK WASHER, P/N 91202A242, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "32"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AG. PREPARE SIX (6) M12 LOCK WASHER, P/N 91202A246, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "33"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.
- AH. PREPARE SIX (6) 5/16" - 18 LOCK NUT – FLANGED, P/N 93298A120, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "34"
 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (0JKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

AI. PREPARE SEVENTEEN (17) 1/2"-13 NUT, P/N 94895A823, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "35"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AJ. PREPARE SIX (6) 5/16"-18 NUT, P/N 94895A030, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "36"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AK. PREPARE FOUR (4) 7/16"-14 NUT, P/N 94895A817, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "37"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AL. PREPARE TWO (2) 5/8"-11 NUT, P/N 94895A035, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "38"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AM. PREPARE TEN (10) #8 SELF TAPPING SCREW, P/N 91515A200, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "39"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AN. PREPARE TEN (10) #8 WASHER, P/N 94744A224, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "40"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AO. PREPARE EIGHT (8) #10 WASHER, P/N 90108A411, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "41"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AP. PREPARE TEN (10) 1/4" WASHER (SAE), P/N 1411/0001Z, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "42"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AQ. PREPARE SEVEN (7) 3/8" WASHER", P/N 98026A031, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "43"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AR. PREPARE FOURTEEN (14) 5/16" WASHER (USS), P/N 90108A030, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "44"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AS. PREPARE SIX (6) 5/16" WASHER (SAE), P/N 94744A245, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "45"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION

AT. PREPARE FOUR (4) 7/16" WASHER (USS), P/N 90108A032, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "46"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31

AU. PREPARE FOUR (4) 5/8" WASHER (USS), P/N 98026A035, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "47"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AV. PREPARE TWENTY SIX (26) M8 WASHER LARGE OD, P/N 347-23913, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "48"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AW. PREPARE FIVE (5) M10 WASHER LARGE OD, P/N 91100A170, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "49"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AX. PREPARE SIX (6) M12 WASHER LARGE OD, P/N 91100A180, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "50"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AY. PREPARE TEN (10) M12 WASHER 24mm OD, P/N 347-23957, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "51"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

AZ. PREPARE TWO (2) 1/2"-13 KNOB,, P/N 347-22986, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 5 X 7. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "52"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BA. PREPARE FIVE(5) VIBRATION INSULATOR MOUNTS, P/N CB-1121-4, IN ACCORDANCE WITH THE STEPS BELOW:

4. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 5 X 7, CLOSE BAG BY HEAT SEALING
5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "53"
6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BB. PREPARE ONE (5) TAIL WASHER, P/N J-2049-63, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "54"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BC. PREPARE FIVE (5) HEAD WASHER, P/N J-2049-64, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "55"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BD. PREPARE SIX (6) WASHER GASKET, P/N 347-23857, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "56"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

BE. PREPARE TWO (2) CORNER PROTECTORS, P/N 8847T68, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "57"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BF. PREPARE TWO (2) BRACKET, P/N 347-23742, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "58"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BG. PREPARE TWO (2) 16" WIRE EXTENSION, P/N 347-23757, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "59"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BH. PREPARE TWO (2) 60" WIRE EXTENSION, P/N 347-23864, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 5 X 7. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "60"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BI. PREPARE ONE (1) 1/2" SPLIT FLEX TUBING, P/N 7840K93, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 8 X 10. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "61"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BJ. PREPARE TWENTY FOUR EACH (24) ZIP TIES AND MOUNTS, P/N 7130K52 & 7582K11, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "62"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BK. PREPARE FOUR (4) SPRING CLIPS, P/N 347-23884, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "63"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BL. PREPARE EIGHT (8) POP RIVETS, P/N 347-23313, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "64"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BM. PREPARE EIGHT (8) EASY DRIVE NAIL FASTENER, P/N 347-23885, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "65"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BN. PREPARE SIX (6) RED GREASE FITTING DUST CAP, P/N 347-23897, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "66"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BO. PREPARE TWO (2) BLIND GROMMET, P/N 10108-A60, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "67"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION**BP. PREPARE ONE (1) SAFETY TAPE, P/N 6052T1, IN ACCORDANCE WITH THE STEPS BELOW:**

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "68"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BQ. PREPARE FOUR (4) MALE DEFROSTER TERMINAL, P/N 347/23741, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "69"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BR. CONSOLIDATE ITEMS FROM NOTES D THROUGH BQ IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN 4-69 INTO CONTAINER
2. CONTAINER: ASTM-D5118, ST FOL, TY CF, CL WR, VR SW, GR W5C, SIZE: 15 X 12 X 4
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 4B2.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "HARDWARE (SPN'S 4-69)

BS. PREPARE ONE (1) GAS DOOR CYLINDER, P/N 347-23291, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 26 X 8 X 1/8, WRAP CYLINDER ENTIRELY
2. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 28 X 6. CLOSE BAG BY HEAT SEALING
3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "70"
4. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BT. PREPARE THE FOLLOWING ITEMS IN ACCORDANCE WITH THE STEPS BELOW:

- ONE (2) DECAL, INFORMATIONAL, EGRESS INTERIOR, P/N 332-D1273
- ONE (2) DECAL, INFORMATIONAL, EGRESS EXTERIOR, P/N 332-D1274
- ONE (1) DECAL, ATTENTION, COMBAT LOCK, P/N 332-D1275
- ONE (1) DECAL, CAUTION, GLASS SURFACE, P/N 332-D1276
- ONE (1) DECAL, WARNING, DRIVING, P/N 332-D1277
- ONE (1) DECAL, WARNING, HEARING PROTECTION, P/N 332-D1278
- ONE (1) DECAL, WARNING, CLIMBING, P/N 332-D1279
- ONE (2) DECAL, WARNING, EGRESS INTERIOR, P/N 332-D1280
- ONE (2) DECAL, WARNING, EGRESS EXTERIOR, P/N 332-D1281
- ONE (1) DECAL, WARNING, HEAVY DOOR, P/N 332-D1282
- ONE (1) DECAL, WARNING, NOT OPERABLE DOOR, 332-D1283
- ONE (2) DECAL, WARNING, FIELD OF VIEW, P/N 332-D1284
- ONE (1) DECAL, INTERIOR CAB NOISE, P/N 347-21240
- ONE (1) DECAL, TRAVEL HEIGHT, P/N 347-21256
- ONE (1) DECAL, LOADER CONTROLS, P/N 347-21257
- ONE (1) DECAL, LOADER AUX. CONTROLS, P/N 347-21258
- ONE (1) DECAL, LOCK SEAT IN POSITION, P/N 347-21266
- ONE (1) DECAL, SAE EXCAVATORS, P/N 347-21267
- ONE (1) DECAL, SIDESLOPE TIP HAZARD, P/N 347-21268
- ONE (1) DECAL, FORK CAPACITY, P/N 347-21271
- ONE (1) DECAL, BOOM FLOAT CONTROL, P/N 347-21273

1. BAG (ALL IN ONE): MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. CONTAINER: ASTM-D5118, ST FOL, TY CF, CL WR, VR SW, GR W5C, SIZE: 7 X 6 X 5/8
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 4B2.
4. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "71"
5. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BU. PREPARE FIFTEEN FEET (15FT) GASKET – SEALING FOAM STRIP, P/N 347-23888, IN ACCORDANCE WITH THE STEPS BELOW:

1. COIL TO ROUGHLY 10 INCHES IN DIAMETER
2. BAG: MIL-DTL-117, TY III, CLASS B, DSTYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
3. CONTAINER: ASTM-D5118, ST FOL, TY CF, CL WR, VR SW, GR W5C, SIZE: 10 X 10 X 1-1/4
4. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 4B2.
5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "72"
6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

BV. PREPARE FOURTY FEET (40FT) BACKER ROD , P/N EF12B, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 22 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "73"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BW. PREPARE ONE (1) COMBAT RESCUE WRENCH, P/N 347-23881, IN ACCORDANCE WITH THE STEPS BELOW:

1. USE VENDOR PACKAGING.
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "74"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

BX. PREPARE ONE (1) ANTI-SEIZE COMPOUND, P/N 347-23882, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "75"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BY. PREPARE ONE (1) LOC-TITE 243 (BLUE), 50ml, P/N 91458A26, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "76"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

BZ. CONSOLIDATE ITEMS FROM NOTES BX AND BY IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 75 AND 76 INTO CONTAINER
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 4 X 4 X 6-1/2
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "LOC-TITE AND ANTI SEIZE COMPOUND (SPN'S 75 & 76)

CA. PREPARE FIVE (5) SIKAFLEX 227 CAULK 10oz, TAN, P/N 347-23883, IN ACCORDANCE WITH THE STEPS BELOW:

5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "77"
6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CB. PREPARE TWO (2) PROJECT 100% SILICONE SEALANT, P/N 6005-CL, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "78"
2. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CC. PREPARE ONE (1) INSTRUCTION MANUAL, P/N 347-23904, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "79"
2. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

CD. PREPARE ONE (1) SET OF A-KIT REPACKING INSTRUCTIONS, IN ACCORDANCE WITH THE STEPS BELOW:

1. A-KIT REPACKING INSTRUCTIONS ARE LOCATED AT THE END OF THIS SPI (SEE PAGE 97-106). PRINT AND PACKAGE THESE PAGES ACCORDING TO THE INSTRUCTIONS BELOW.
2. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "80"
4. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

CE. PREPARE ONE (1) TRANSPORTATION DATA PLATE, P/N 332/D1786, IN ACCORDANCE WITH THE STEPS BELOW.

- 1 BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 14. CLOSE BAG BY HEAT SEALING
- 2 IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "81"

CF. PREPARE FOUR (4) AAP-SHIMS, P/N 347-23320, IN ACCORDANCE WITH THE STEPS BELOW:

1. BARRIER: MIL-PRF-121 PAPER, SIZE 8 X 5, 3 PCS, PLACE BETWEEN EACH SHIM TO PREVENT DIRECT CONTACT WITH OTHER SHIMS.
2. CONTAINER: ASTM-D5118, ST FOL, TY CF, CL WR, VR SW, GR W5C, SIZE: 7-1/2 X 5 X 3/4
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 4B2.
4. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "82"
5. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

CG. PREPARE FOUR (4) FP-SHIMS, P/N 347-23311, IN ACCORDANCE WITH THE STEPS BELOW:


1. BARRIER: MIL-PRF-121 PAPER, SIZE 6 X 3, 3 PCS, PLACE BETWEEN EACH SHIM TO PREVENT DIRECT CONTACT WITH OTHER SHIMS.
2. CONTAINER: ASTM-D5118, ST OPF, TY CF, CL WR, VR SW, GR W5C, SIZE: 5-3/4 X 2-3/4 X 3/4
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 4B2.
4. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "83"
5. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CH. THE B-KIT WILL BE DELIVERED WITH THREE (3) CARC AEROSOL PAINT CANS, P/N 347/23902. THESE ARE NOT TO BE INCLUDED WITH THE KIT AND CAN BE DISCARDED.

CI. CONSOLIDATE CONTAINERS AND ITEMS FROM NOTES A, B, C, BR-BW, AND BZ-CG IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE CONTAINERS FROM NOTE BR,BX, SPN'S 70-74 AND SPN'S 77-83 INTO CONTAINER, SEE DIAGRAM BELOW FOR ITEM ORIENTATION.
2. CONTAINER: ASTM-D5118, ST OPF, TY CF, CL WR, VR SW, GR W5C, SIZE: 25 X 14 X 13-1/4
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 4B2.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "INSTALLATION HARDWARE KIT"

**INSTALLATION HARDWARE KIT ITEM CONSOLIDATION
(ISOMETRIC VIEW)**



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

ARMOR BATTENS, WIPER SYSTEMS, AND MISCELLANEOUS

<u>SPN</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
84	1	APU	347-10988	31UG4	SEE NOTE CJ
85	1	APL	347-10989	31UG4	SEE NOTE CK
86	1	LP	347-10568	31UG4	SEE NOTE CM
87	2	EP-BRACKET	347-23858	31UG4	SEE NOTE CN
88	2	RPBL	332-D1252	31UG4	SEE NOTE CP
89	1	ACB-BP	347-10735	31UG4	SEE NOTE CR
90	1	RSPR-BR	332-D1247	31UG4	SEE NOTE CS
91	1	RSPR-BM	332-D1246	31UG4	SEE NOTE CT
92	1	RSPR-BF	332-D1245	31UG4	SEE NOTE CU
93	1	RSP-B	332-D1244	31UG4	SEE NOTE CW
94	1	RSPR-BATTEN	347-23005	31UG4	SEE NOTE CX
95	2	RSPR-BATTEN -SHIM	347-23905	31UG4	SEE NOTE CY
96	1	RSBL	347-10994	31UG4	SEE NOTE CZ
97	1	BA	347-10987	31UG4	SEE NOTE DA
98	1	LSPR-B	332-D1239	31UG4	SEE NOTE DC
99	1	LSP-B	332-D1238	31UG4	SEE NOTE DD
100	1	LSP-BATTEN	347-22998	31UG4	SEE NOTE DE
101	1	LSBL	347-10993	31UG4	SEE NOTE DF
102	1	FLP-B	347-23020	31UG4	SEE NOTE DH
103	1	FRP-B	347-23021	31UG4	SEE NOTE DI
104	2	FP-LB	347-23926	31UG4	SEE NOTE DJ
105	1	GRAB HANDLE	347-23944	31UG4	SEE NOTE DL
106	1	RMM	347-10727	31UG4	SEE NOTE DM
107	1	WBD	347-10990	31UG4	SEE NOTE DO
108	1	WBS	347-23924	31UG4	SEE NOTE DP
109	2	1/4"-20 x 1/2" Hex Cap Screw	92620A537	39428	SEE NOTE DR
110	6	1/4" Lock Washer	1416/0004Z	OJKF0	SEE NOTE DS
111	2	1/4" Washer (SAE)	1411/0001Z	K7599	SEE NOTE DT
112	4	1/4"-20 x 1" Hex Cap Screw	1310/1506Z	OJKF0	SEE NOTE DU
113	1	3/16" x 3/16" Union	5121K151	31UG4	SEE NOTE DV
114	1	3/16" Washer Hose	347-23740	31UG4	SEE NOTE DW
115	1	1/8" x 3/16" x 1/8" Reducer Tee	5121K871	31UG4	SEE NOTE DX
116	1	1/4" Lock Washer - External Tooth	91114A029	39428	SEE NOTE DY
117	2	Wiper Arm	347-23737	31UG4	SEE NOTE EA
118	2	Wiper Blade	347-23738	31UG4	SEE NOTE EB
119	1	Wiper Motor	347-23736	31UG4	SEE NOTE EC
120	3	1/4"-20 fx 1/2" Hex Cap Screw	92620A537	39428	SEE NOTE EE
121	2	1/4"-20 x 1" Hex Cap Screw	1310/1506Z	OJKF0	SEE NOTE EF
122	6	1/4" Lock Washer	1416/0004Z	OJKF0	SEE NOTE EG
123	6	1/4" Washer (SAE)	1411/0001Z	K7599	SEE NOTE EH
124	1	Rear Wiper Harness	347-23960	31UG4	SEE NOTE EI
125	1	3/16" x 3/16" Union	5121K151	31UG4	SEE NOTE EJ
126	1	3/16" Washer Hose	347-23740	31UG4	SEE NOTE EK
127	1	3/16" x 1/8" Reducer Union	5121K241	31UG4	SEE NOTE EL
128	1	Wiper Arm	347-23782	31UG4	SEE NOTE EN
129	1	Wiper Blade	347-23783	45152	SEE NOTE EO
130	1	Wiper Motor	347-23781	31UG4	SEE NOTE EP

SPECIAL PACKAGING INSTRUCTION <i>(Continuation Sheet)</i>		Form Approved -BK OMB No. 0704-0188 JS
The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.		
1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION
<p>CJ. PREPARE ONE (1) APU, P/N 347-10988, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 60 X 24 X 1/8, WRAP APU ENTIRELY, SECURE WITH TAPE ASTM D-6123 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "84" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>CK. PREPARE ONE (1) APL, P/N 347-10989, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 72 X 24 X 1/8, 2 PCS, WRAP APL ENTIRELY, SECURE WITH TAPE ASTM D-6123 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "85" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>CL. CONSOLIDATE ITEMS FROM NOTES CJ AND CK IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. PLACE SPN'S 84 AND 85 INTO CONTAINER. 2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR V3C, SIZE: 25 X 22-3/4 X 5 3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3. 4. IDENTIFICATION: IDENTIFY CONTAINER AS "FLOOR ARMOR INSTALL" <p>CM. PREPARE ONE (1) LP, P/N 347-10568, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 18 X 1/4, WRAP LP ENTIRELY, SECURE WITH TAPE ASTM D-6123 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "86" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>CN. PREPARE TWO (2) EP BRACKETS, P/N 23858, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 12 X 1/4, 2 PIECES, WRAP EP-BRACKET ENTIRELY WITH 1 PIECE EACH, SECURE WITH TAPE ASTM D-6123, ADDITIONALLY TAPE 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "87" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>CO. CONSOLIDATE ITEMS FROM NOTES CM AND CN IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. PLACE SPN'S 86 AND 87 INTO CONTAINER. 2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 12 X 8 X 8 3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3. 4. IDENTIFICATION: IDENTIFY CONTAINER AS "UNDERBODY ARMOR INSTALL" <p>CP. PREPARE TWO (2) RPBL, P/N 332-D1252, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 48 X 6 X 1/4, 2 PIECES, WRAP RPBL ENTIRELY WITH ONE PIECE EACH, SECURE WITH TAPE ASTM D-6123, ADDITIONALLY TAPE RPBL'S TO EACH OTHER TO CREATE ONE ITEM. 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "88" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>CQ. CONSOLIDATE ITEMS FROM NOTE CP IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. PLACE SPN 88 INTO CONTAINER. 2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 46 X 3 X 3 3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3. 4. IDENTIFICATION: IDENTIFY CONTAINER AS "REAR ARMOR BATTENS" <p>CR. PREPARE ONE (1) ACB-BP, P/N 347-10735, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 48 X 24 X 1/8, WRAP ACB-BP ENTIRELY, SECURE WITH TAPE ASTM D-6123 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "89" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. 		

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

CS. PREPARE ONE (1) RSPR-BR, P/N 332-D1247, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, 1 PIECE, SIZE: 12 X 12 X 1/4 AND 1 PIECE, SIZE 12 X 6 X 1/4, WRAP RSPR-BR ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "90"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CT. PREPARE ONE (1) RSPR-BM, P/N 332-D1246, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 12 X 1/4, WRAP RSPR-BF ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "91"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CU. PREPARE ONE (1) RSPR-BF, P/N 332-D1245, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4, WRAP RSPR-BF ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "92"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CV. CONSOLIDATE ITEMS FROM NOTES CR-CU IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 89-92 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 27-1/2 X 12 X 3-1/2
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "RIGHT SIDE ARMOR BATTENS"

CW. PREPARE ONE (1) RSP-B, P/N 332-D1244, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 24 X 1/8, WRAP RSP-B ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "93"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CX. PREPARE ONE (1) RSPR-BATTEN, P/N 347-23005, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 12 X 1/4, WRAP RSPR-BATTEN ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "94"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CY. PREPARE ONE (2) RSPR-BATTEN-SHIM, P/N 347-23905, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4, WRAP EACH RSPR-BATTEN-SHIM ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "95"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

CZ. PREPARE ONE (1) RSBL, P/N 347-10994, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4, WRAP RSBL ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "96"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DA. PREPARE ONE (1) BA, P/N 347-10987, IN ACCORDANCE WITH THE STEPS BELOW:

4. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4, WRAP BA ENTIRELY, SECURE WITH TAPE ASTM D-6123
5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "97"
6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

DB. CONSOLIDATE ITEMS FROM NOTES CW-DA IN ACCORDANCE WITH THE STEPS BELOW:

7. PLACE SPN'S 93-97 INTO CONTAINER.
8. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 31 X 7-1/2 X 5-1/2
9. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
10. IDENTIFICATION: IDENTIFY CONTAINER AS "RIGHT FRONT SIDE ARMOR BATTENS"

DC. PREPARE ONE (1) LSPR-B, P/N 332-D1239, IN ACCORDANCE WITH THE STEPS BELOW:

11. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 18 X 1/8, WRAP LSPR-B ENTIRELY, SECURE WITH TAPE ASTM D-6123
12. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "98"
13. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DD. PREPARE ONE (1) LSP-B, P/N 332-D1238, IN ACCORDANCE WITH THE STEPS BELOW:

14. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4, WRAP LSP-B ENTIRELY, SECURE WITH TAPE ASTM D-6123
15. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "99"
16. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DE. PREPARE ONE (1) LSP-BATTEN, P/N 347-22998, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 24 X 1/4, WRAP LSP-BATTEN ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "100"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DF. PREPARE ONE (1) LSBL, P/N 347-10993, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 24 X 1/8, WRAP LSBL ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "101"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DG. CONSOLIDATE ITEMS FROM NOTES DB-DE IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 98-101 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 29-1/2 X 6-1/2 X 4
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "LEFT FRONT SIDE ARMOR BATTENS"

DH. PREPARE ONE (1) FLP-B, P/N 347-23020, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4, WRAP FLP-B ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "102"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DI. PREPARE ONE (1) FRP-B, P/N 347-23021, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4, WRAP FRP-B ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "103"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DJ. PREPARE TWO (2) FP-LB, P/N 347-23926, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4, 2 PIECES, WRAP FP-LB ENTIRELY WITH ONE PIECE EACH, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "104"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

DK. CONSOLIDATE ITEMS FROM NOTES DH-DJ IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 102-104 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 12 X 4 X 5
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "FRONT INTERNAL BATTENS"

DL. PREPARE ONE (1) GRAB HANDLE, P/N 347-23944, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 24 X 1/8, WRAP GRAB HANDLE ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "105"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DM. PREPARE ONE (1) RMM, P/N 347-10727, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 24 X 1/8, WRAP RMM ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "106"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DN. CONSOLIDATE ITEMS FROM NOTES DL AND DM IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 105 AND 106 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 24 X 12 X 3-1/2
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "MISC INSTALL"

DO. PREPARE ONE (1) WBD, P/N 347-10990, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 24 X 1/8, WRAP WBD ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "107"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DP. PREPARE ONE (1) WBS, P/N 347-23784, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4, WRAP WBS ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "108"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

DQ. CONSOLIDATE ITEMS FROM NOTES DO AND DP IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 107 AND 108 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 21 X 12 X 8
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "WIPER COVERS."

DR. PREPARE TWO (2) 1/4"-20 x 1/2" HEX CAP SCREW, P/N 92620A537, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "109"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

DS. PREPARE SIX (6) 1/4" LOCK WASHER, P/N 1416/0004Z, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "110"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)		Form Approved -BK OMB No. 0704-0188 JS
The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.		
1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION
<p>DT. PREPARE TWO (2) 1/4" WASHER (SAE), P/N 1411/0001Z, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "111" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31. <p>DJ. PREPARE FOUR (4) 1/4"-20 x 1" HEX CAP SCREW, P/N 1310/1506Z, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "112" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31. <p>DV. PREPARE ONE (1) 3/16" x 3/16" UNION, P/N 5121K151, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "113" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31 <p>DW. PREPARE ONE (1) 3/16" WASHER HOSE, P/N 347-23740, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "114" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31 <p>DX. PREPARE ONE (1) 1/8" x 3/16" x 1/8" REDUCER TEE, P/N 5121K151, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "115" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31 <p>DY. PREPARE ONE (1) 1/4" LOCK WASHER – EXTERNAL TOOTH, P/N 91114A029, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "116" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31 <p>DZ. CONSOLIDATE ITEMS FROM NOTES DR-DY IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. PLACE SPN'S 109-116 INTO CONTAINER. 2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL D, VR SW, GR 200, SIZE: 8-1/2 X 6 X 4-1/2 3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3. 4. IDENTIFICATION: IDENTIFY CONTAINER AS "FRONT WIPER SYSTEM HARDWARE" <p>EA. PREPARE TWO (2) WIPER ARMS, P/N 347-23737, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/8, 2 PIECES, WRAP WIPER ARM ENTIRELY WITH ONE PIECE EACH, SECURE WITH TAPE ASTM D-6123 2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "117" 3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>EB. PREPARE TWO (2) WIPER BLADES, P/N 347-23738, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 4. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 6 X 1/8, 2 PIECES, WRAP WIPER BLADE ENTIRELY WITH ONE PIECE EACH, SECURE WITH TAPE ASTM D-6123 5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "118" 6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. <p>EC. PREPARE ONE (1) WIPER MOTOR, P/N 347-23736, IN ACCORDANCE WITH THE STEPS BELOW:</p> <ol style="list-style-type: none"> 7. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 48 X 24 X 1/8, WRAP WIPER MOTOR ENTIRELY, SECURE WITH TAPE ASTM D-6123 8. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "119" 9. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10. 		

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (0JKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

ED. CONSOLIDATE ITEMS FROM NOTES DZ-EC IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE CONTAINER FROM NOTE DZ AND SPN'S 117-119 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL D, VR SW, GR 200, SIZE: 17 X 8 X 5-1/2
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 27 X 16. CLOSE BAG BY HEAT SEALING
5. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 17-3/4 X 8-3/4 X 6-1/4
6. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
7. IDENTIFICATION: IDENTIFY CONTAINER AS "FRONT WIPER SYSTEM INSTALL."
8. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 32.

EE. PREPARE THREE (3) 1/4"-20 x 1/2" HEX CAP SCREW, P/N 92620A537, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "120"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

EF. PREPARE TWO (2) 1/4"-20 x 1" HEX CAP SCREW, P/N 1310/1506Z, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "121"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

EG. PREPARE SIX (6) 1/4" LOCK WASHER, P/N 1416/0004Z, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "122"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

EH. PREPARE SIX (6) 1/4" WASHER (SAE), P/N 1411/0001Z, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "123"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

EI. PREPARE ONE (1) REAR WIPER HARNESS, P/N 347-23960, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "124"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

EJ. PREPARE ONE (1) 3/16" x 3/16" UNION, P/N 5121K151, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "125"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31

EK. PREPARE ONE (1) 3/16" WASHER HOSE, P/N 347-23740, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 6 X 8. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "126"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31

EL. PREPARE ONE (1) 3/16" x 1/8" REDUCER UNION, P/N 5121K241, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "127"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

EM. CONSOLIDATE ITEMS FROM NOTES DO-DV IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 120-127 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL D, VR SW, GR 200, SIZE: 10-1/2 X 6 X 4-1/2
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "REAR WIPER SYSTEM HARDWARE"

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (0JKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

EN. PREPARE ONE (2) WIPER ARM, P/N 347-23782, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/8, WRAP WIPER ARM ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "128"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

EO. PREPARE ONE (1) WIPER BLADE, P/N 347-23783, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 6 X 1/8, WRAP WIPER BLADE ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "129"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

EP. PREPARE ONE (1) WIPER MOTOR, P/N 347-23781, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 48 X 24 X 1/8, WRAP WIPER MOTOR ENTIRELY, SECURE WITH TAPE ASTM D-6123
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "130"
3. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 10.

EQ. CONSOLIDATE ITEMS FROM NOTES EM-EP IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE CONTAINER FROM NOTE EM AND SPN'S 128-130 INTO CONTAINER.
2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL D, VR SW, GR 200, SIZE: 18 X 8 X 5
3. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
4. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 27 X 16. CLOSE BAG BY HEAT SEALING
5. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 18-3/4 X 8-3/4 X 5-3/4
6. CLOSURE: CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 2B3.
7. IDENTIFICATION: IDENTIFY CONTAINER AS "REAR WIPER SYSTEM INSTALL."
8. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 32.

ER. CONSOLIDATE CONTAINERS FROM NOTES CI, CL, CM, CQ, CV, DB, DG, DK, DN, DQ, ED, AND EQ IN ACCORDANCE WITH THE STEPS BELOW:

1. CONTAINER: ASTM-D6251, TY III, CL 2, ST A, SIZE: 54-1/2 X 34 X 14-1/2, MODIFIED: TOP PANEL IS TO BE SECURED USING WOOD SCREWS CONFORMING TO ASME-B18.6.1
2. PLACEMENT: SEE DIAGRAM (PAGE 21) FOR ITEM PLACEMENT
3. CLOSURE: CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE CONTAINER SPECIFICATION ASTM-D6251, ONLY MODIFIED TO USE WOOD SCREWS ACCORDING TO ASME-B18.6.1 TO SECURE THE TOP MAKING THE CONTAINER REUSABLE.
4. IDENTIFICATION: IDENTIFY CONTAINER AS "HARDWARE, BATTENS AND MISC INSTALL CONTAINER"
5. MARKINGS: THE UNIT CONTAINER SHALL BE MARKED ON TOP AND ONE SIDE WITH MINIMUM 1/2 IN BLACK LETTERS "REUSABLE CONTAINER, DO NOT DESTROY." IN ADDITION, THE TOP SHALL BE MARKED "REMOVE WOOD SCREWS TO OPEN CONTAINER," USING MINIMUM 1/2 INCH HIGH BLACK LETTERS.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ITEM CONSOLIDATION AND PLACEMENT FOR NOTE EP
(HARDWARE, BATTENS AND MISC INSTALL CONTAINER)
(ISOMETRIC VIEW)
(TOP NOT SHOWN FOR CLARITY)**



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


HARDWARE, BATTENS AND MISC INSTALL CONTAINER TOP CONSISTS OF THE FOLLOWING BLOCKING:

ITEM	SIZE	QTY	ADDITIONAL NOTES:
A	1 X 4 X 2-1/2	2	SEE BELOW
B	1 X 4 X 12-7/8	2	SEE BELOW

**CRATE TOP FOR NOTE EM CONSOLIDATION
(ISOMETRIC VIEW)
(SPECIAL BLOCKING PLACEMENT)**



**CRATE TOP FOR NOTE EM CONSOLIDATION
(TOP VIEW)
(SPECIAL BLOCKING PLACEMENT)**



NOTE: CONTAINER TOP IS CONSTRUCTED WITH BLOCKING BUILT IN TO ACCOMMODATE ITEM "EP" LATER IN THE PACKAGING PROCESS

UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (0JKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

TRANSPARENT ARMOR ASSEMBLIES

<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
1	TA23x44-EGRESS	332-D9099	31UG4	NOTE ES
1	TA18x44-EGRESS	332D-9096	31UG4	NOTE ES
2	TA11x29-S2	347-10713	31UG4	NOTE ES
1	TA6x18-S2	347-10715	31UG4	NOTE ES
1	TA12x18-S2	347-10714	31UG4	NOTE ES

ES. CONSOLIDATE ALL SIX (6) TRANSPARENT ARMOR ASSEMBLIES IN ACCORDANCE WITH THE STEPS BELOW.

- CONTAINER: ASTM-D6251, TY III, CL 2, ST A, SIZE: 50-3/8 X 25-3/4 X 31-1/2, MODIFIED: TOP PANEL IS TO BE SECURED USING WOOD SCREWS CONFROMING TO ASME-B18.6.1
- PLACEMENT: SEE DIAGRAMS ON PAGES 25-39 FOR ITEM AND BLOCKING PLACEMENT.
- PAD/BARRIER: ASTM-D4727, TY CF, CL D, VR SW, GR 200. SIZES: SEE TABLES (PAGE 24) AND DIAGRAMS FOR PAD SIZES AND PLACEMENT. PADS SHALL BE PLACED BETWEEN ALL TRANSPARENT ARMOR SURFACES AND CONTAINER SURFACES TO PREVENT ARMOR FROM COMING IN DIRECT CONTACT WITH CONTAINER.
- CLOSURE: CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE CONTAINER SPECIFICATION ASTM-D6251, ONLY MODIFIED TO USE WOOD SCREWS ACCORDING TO ASME-B18.6.1 TO SECURE THE TOP MAKING THE CONTAINER REUSABLE.
- IDENTIFICATION: IDENTIFY CONTAINER AS "TRANSPARENT ARMOR ASSEMBLIES."
- MARKINGS: THE UNIT CONTAINER SHALL BE MARKED ON TOP AND ONE SIDE WITH MINIMUM 1/2 IN BLACK LETTERS "**REUSABLE CONTAINER, DO NOT DESTROY.**" IN ADDITION, THE TOP SHALL BE MARKED "**REMOVE WOOD SCREWS TO OPEN CONTAINER,**" USING MINIMUM 1/2 INCH HIGH BLACK LETTERS.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

TRANSPARENT ARMOR CONTAINER BLOCKING CONSISTS OF THE FOLLOWING:

ITEM	SIZE	QTY	ADDITIONAL NOTES:
C	2 X 4 X 47-1/8	3	SEE PAGE 25
D	2 X 4 X 6	2	SEE PAGE 25
E	2 X 4 X 16	4	SEE PAGE 26, 31
F	2 X 4 X 28-1/2	4	SEE PAGE 26, 31
G	2 X 4 X 51-1/8	2	SEE PAGE 27
H	2 X 4 X 5-1/2	2	SEE PAGE 28, 29
I	2 X 4 X 7	2	SEE PAGE 28, 29
J	1 X 4 X 5	2	SEE PAGE 30
K	2 X 4 X 3-3/4	2	SEE PAGE 31
L	2 X 4 X 7-1/2	2	SEE PAGE 31
M	2 X 4 X 31-1/2	6	SEE PAGE 32, 34
N	2 X 4 X 30	4	SEE PAGE 32
O	2 X 4 X 38-1/2	1	SEE PAGE 32
P	2 X 4 X 4-5/8	2	SEE PAGE 32
Q	2 X 4 X 20-1/2	1	SEE PAGE 32
R	2 X 4 X 20-3/4	1	SEE PAGE 34

TRANSPARENT ARMOR CONATAINER PADS CONSISTS OF THE FOLLOWING:

ITEM	SIZE	QTY	ADDITIONAL NOTES:
PA	50-3/8 X 6 X SW	1	SEE PAGE 25
PB	47-1/8 X 3-1/2 X SW	2	SEE PAGE 25
PC	16 X 1-1/2 X SW	4	SEE PAGE 26, 31
PD	28-1/2 X 1-1/2 X SW	2	SEE PAGE 26
PE	50-3/8 X 3-1/2 x SW	2	SEE PAGE 27
PF	31-1/2 X 6 X SW	2	SEE PAGE 28, 29
PG	7 X 3-1/2 X SW	2	SEE PAGE 28, 29
PH	5-1/2 X 3-1/2 X SW	2	SEE PAGE 28, 29
PI	5 X 3-1/2 X SW	2	SEE PAGE 30
PJ	3-1/2 X 1-1/2 X SW	4	SEE PAGE 31
PK	28-1/2 X 1-1/2 X SW	2	SEE PAGE 31
PL	22-1/2 X 1-1/2 X SW	2	SEE PAGE 31
PM	31-1/2 X 3-1/2 X SW	6	SEE PAGE 32,34
PN	30 X 1-1/2 X SW	2	SEE PAGE 32
PO	23-1/4 X 1-1/2 X SW	2	SEE PAGE 32
PP	20-1/2 X 1-1/2 X SW	1	SEE PAGE 32
PQ	23-3/4 X 3-1/2 X SW	2	SEE PAGE 34
PR	8 X 3-1/2 X SW	2	SEE PAGE 34
PS	21-3/4 X 3-1/2 X SW	2	SEE PAGE 34

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTAINER, BASE
(ISO VIEW, WITH PADS)**

TRANSPARENT ARMOR CONTAINER, BASE,
CONSISTS OF THE FOLLOWING BLOCKING
AND CORRUGATED PADS:

- 3 PCS – ITEM C
- 2 PCS – ITEM D
- 2 PCS – ITEM PA
- 1 PC – ITEM PB



**TRANSPARENT ARMOR CONTAINER, BASE
(TOP VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTAINER, SIDE PANEL A
(ISO VIEW WITH PADS)**

TRANSPARENT ARMOR CONTAINER, SIDE PANEL A, CONSISTS OF THE FOLLOWING BLOCKING AND CORRUGATED PADS:

- 2 PCS – ITEM E
- 2 PCS – ITEM F
- 2 PCS – ITEM PC
- 1 PC – ITEM PD



**TRANSPARENT ARMOR CONTAINER, SIDE A
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, SIDE B
(ISO VIEW WITH PADS)**

TRANSPARENT ARMOR CONTAINER, SIDE
PANEL B, CONSISTS OF THE FOLLOWING
BLOCKING AND CORRUGATED PADS:
2 PCS – ITEM G
2 PCS – ITEM PE



**TRANSPARENT ARMOR CONTAINER, SIDE B
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTAINER, END PANEL A
(ISO VIEW WITH PADS)**

TRANSPARENT ARMOR CONTAINER, END
PANEL A, CONSISTS OF THE FOLLOWING
BLOCKING AND CORRUGATED PADS:

- 1 PC – ITEM H
- 1 PC – ITEM I
- 1 PC – ITEM PF
- 1 PC – ITEM PG
- 1 PC – ITEM PH



**TRANSPARENT ARMOR CONTAINER, END A
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTAINER, SIDE B
(ISO VIEW WITH PADS)**



TRANSPARENT ARMOR CONTAINER, END PANEL B, CONSISTS OF THE FOLLOWING BLOCKING AND CORRUGATED PADS:

- 1 PC – ITEM H
- 1 PC – ITEM I
- 1 PC – ITEM PF
- 1 PC – ITEM PG
- 1 PC – ITEM PH

**TRANSPARENT ARMOR CONTAINER, SIDE B
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTAINER, TOP PANEL
(ISO VIEW WITH PADS)**

TRANSPARENT ARMOR CONTAINER, TOP,
CONSISTS OF THE FOLLOWING BLOCKING
AND CORRUGATED PADS:

- 2 PCS – ITEM J
- 2 PCS – ITEM PI



**TRANSPARENT ARMOR CONTAINER, TOP PANEL
(BOTTOM VIEW)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 1
(ISO VIEW, WITH PADS)**

TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 1, CONSISTS OF THE FOLLOWING BLOCKING AND CORRUGATED PADS:

- 2 PCS – ITEM E
- 2 PCS – ITEM F
- 2 PCS – ITEM K
- 2 PCS – ITEM L
- 2 PCS – ITEM PC
- 4 PCS – ITEM PJ
- 2 PCS – ITEM PK
- 2 PCS – ITEM PL



**TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 1
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

BLOCKING ASSY 1 IS REMOVABLE AND IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 2
(ISO VIEW)**

TRANSPARENT ARMOR CONTAINER, BLOCKING ASSY 2, CONSISTS OF THE FOLLOWING BLOCKING:


- 4 PCS – ITEM M
- 4 PCS – ITEM N
- 1 PC – ITEM O
- 2 PCS – ITEM P
- 1 PC – ITEM Q



**TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 2
(ISO VIEW WITH PADS)**

TRANSPARENT ARMOR CONTAINER, BLOCKING ASSY 2, CONSISTS OF THE FOLLOWING CORRUGATED PADS:

- 4 PCS – ITEM PM
- 2 PCS – ITEM PN
- 2 PCS – ITEM PO
- 1 PCS – ITEM PP



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

BLOCKING ASSY 2 IS REMOVABLE AND IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 2
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

BLOCKING ASSY 2 IS REMOVABLE AND IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**TRANSPARENT ARMOR CONTIANER, REMOVABLE BLOCKING ASSY 3
(ISO VIEW WITH PADS)**

TRANSPARENT ARMOR CONTAINER,
REMOVABLE BLOCKING ASSY 3,
CONSISTS OF THE FOLLOWING
BLOCKING AND CORRUGATED PADS:

- 2 PCS – ITEM M
- 1 PC – ITEM R
- 2 PCS – ITEM PM
- 2 PCS – ITEM PQ
- 2 PCS – ITEM PR
- 2 PCS – ITEM PS



**TRANSPARENT ARMOR CONTAINER, REMOVABLE BLOCKING ASSY 3
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

BLOCKING ASSY 3 IS REMOVABLE AND IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, ASSEMBLY PLACEMENT
(REAR EGRESS, ISO VIEW)
(END, SIDE, AND TOP PANELS NOT SHOWN FOR CLARITY)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, ASSEMBLY PLACEMENT
(FRONT EGRESS AND REMOVABLE BLOCKING ASSY 1, ISO VIEW)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, ASSEMBLY PLACEMENT
(DOOR, SIDE WINDOW, AND REMOVABLE BLOCKING ASSY 3 PLACEMENTS, ISO VIEW)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER, ASSEMBLY PLACEMENT
(REMOVABLE BLOCKING ASSY 2 PLACEMENT, ISO VIEW)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER COMPLETED CONSOLIDATION
(END, SIDE, AND TOP PANELS NOW SHOWN, ISO VIEW)**



NOTE: TOP PANEL IS PLACE WITH ATTACHED BLOCKING IN THE ORIENTATION SPECIFIED ABOVE.

CRATE IS MODIFIED TO BE REUSABLE. TOP PANEL IS TO BE SECURED USING WOOD SCREWS CONFORMING TO ASME-B18.6.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

INSULATION KIT

<u>SPN</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
131	1	FP-INSULATION	332-D9132	31UG4	SEE NOTE ET
132	1	RSP-INSULATION	332-D9137	31UG4	SEE NOTE EU
133	1	RRP-LS-INSULATION	332-D9130	31UG4	SEE NOTE EV
134	1	LRP-LS-INSULATION	332-D9129	31UG4	SEE NOTE EW
135	1	FRP-INSULATION	332-D9133	31UG4	SEE NOTE EX
136	1	FLP-INSULATION	332-D9131	31UG4	SEE NOTE EY
137	1	LSPR-R-U-INSULATION	332-D9136	31UG4	SEE NOTE EZ
138	1	LSPR-INSULATION	332-D9135	31UG4	SEE NOTE FA
139	1	DP-INSULATION	332-D9134	31UG4	SEE NOTE FB
140	1	RSPR-R-U-INSULATION	332-D9140	31UG4	SEE NOTE FC
141	1	ACB-S-INSULATION	332-D9139	31UG4	SEE NOTE FD
142	1	RSPR-INSULATION	332-D9138	31UG4	SEE NOTE FE
143	1	RP-INSULATION	332-D9128	31UG4	SEE NOTE FF
144	1	APL-2-INSULATION	347-23949	31UG4	SEE NOTE FG
145	1	APL-1-INSULATION	347-23948	31UG4	SEE NOTE FH
146	1	APU-2-INSULATION	347-23947	31UG4	SEE NOTE FI
147	1	APU-1-INSULATION	347-23946	31UG4	SEE NOTE FJ

ET. PREPARE ONE (1) FP-INSULATION, P/N 332-D9132, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "131"

EU. PREPARE ONE (1) RSP-INSULATION, P/N 332-D9137, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "132"

EV. PREPARE ONE (1) RRP-INSULATION, P/N 332-D9130, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "133"

EW. PREPARE ONE (1) LRP-LS-INSULATION, P/N 332-D9129, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "134"

EX. PREPARE ONE (1) FRP-INSULATION, P/N 332-D9133, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "135"

EY. PREPARE ONE (1) FLP-INSULATION, P/N 332-D9131, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "136"

EZ. PREPARE ONE (1) LSPR-R-U-INSULATION, P/N 332-D9136, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "137"

FA. PREPARE ONE (1) LSPR-INSULATION, P/N 332-D9135, IN ACCORDANCE WITH THE STEPS BELOW:

2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "138"

FB. PREPARE ONE (1) DP-INSULATION, P/N 332-D9134, IN ACCORDANCE WITH THE STEPS BELOW:

3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "139"

FC. PREPARE ONE (1) RSPR-R-U-INSULATION, P/N 332-D9140, IN ACCORDANCE WITH THE STEPS BELOW:

4. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "140"

FD. PREPARE ONE (1) ACB-S-INSULATION, P/N 332-D9139, IN ACCORDANCE WITH THE STEPS BELOW:

5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "141"

FE. PREPARE ONE (1) RSPR-INSULATION, P/N 332-D9138, IN ACCORDANCE WITH THE STEPS BELOW:

6. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "142"

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (0JKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

FF. PREPARE ONE (1) RP-INSULATION, P/N 332-D9128, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "143"

FG. PREPARE ONE (1) APL-2-INSULATION, P/N 347-23949, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "144"

FH. PREPARE ONE (1) APL-1-INSULATION, P/N 347-23948, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "145"

FI. PREPARE ONE (1) APU-2-INSULATION, P/N 347-23947, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "146"

FJ. PREPARE ONE (1) APU-1-INSULATION, P/N 347-23946, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "147"

FK. CONSOLIDATE ITEMS FROM NOTES ER-FH IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 131-147 INTO CONTAINER. (SEE PLACEMENT NOTE 3)
2. CONTAINER: ASTM-D5118, ST TD, TY CF, CL WR, VR SW, GR W5C, SIZE: 58 X 46-1/2 X 2-1/2
3. PLACEMENT: ITEMS ARE GOING TO BE PLACED FLAT, NOT ON TOP OF EACH OTHER, AND LAYERED INTO CONTAINER DIVIDED BY PADS IN THE FOLLOWING FASHION
 - I. PLACE SPN 131 FLAT INTO CONTAINER
 - II. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 58 X 46-1/2
 - III. PLACE SPN'S 132-136 FLAT INTO CONTAINER
 - IV. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 58 X 46-1/2
 - V. PLACE SPN'S 137-142 FLAT INTO CONTAINER
 - VI. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 58 X 46-1/2
 - VII. PLACE SPN'S 143-147 FLAT INTO CONTAINER
4. CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 5A2.
5. IDENTIFICATION: IDENTIFY ITEM AS "B-KIT INSULATION KIT"
6. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 64 X 52. CLOSE BAG BY HEAT SEALING
7. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

GASKET KIT (PLATE ARMOR INSTALL)

<u>SPN</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
148	1	FRP-GASKET	347-23270	31UG4	SEE NOTE FL
149	1	FLP-GASKET	347-23269	31UG4	SEE NOTE FM
150	1	BULKHEAD-RH-GASKET	347-23308	31UG4	SEE NOTE FN
151	1	BULKHEAD-LH-GASKET	347-23307	31UG4	SEE NOTE FO
152	1	FP-PT4-GASKET	332-D9145	31UG4	SEE NOTE FP
153	1	FP-PT3-GASKET	332-D9144	31UG4	SEE NOTE FQ
154	1	FP-PT2-GASKET	332-D9143	31UG4	SEE NOTE FR
155	1	FP-PT1-2OF2-GASKET	332-D9142	31UG4	SEE NOTE FS
156	1	FP-PT1-1OF2-GASKET	332-D9141	31UG4	SEE NOTE FT
157	1	LSP-4OF4-GASKET	332-D9149	31UG4	SEE NOTE FU
158	1	LSP-3OF4-GASKET	332-D9148	31UG4	SEE NOTE FV
159	1	LSP-2OF4-GASKET	332-D9147	31UG4	SEE NOTE FW
160	1	LSP-1OF4-GASKET	332-D9146	31UG4	SEE NOTE FX
161	1	LSPR-PT3-GASKET	332-D9153	31UG4	SEE NOTE FY
162	1	LSPR-1OF2-GASKET	332-D9150	31UG4	SEE NOTE FZ
163	1	RSP-4OF4-GASKET	332-D9158	31UG4	SEE NOTE GA
164	1	RSP-3OF4-GASKET	332-D9157	31UG4	SEE NOTE GB
165	1	RSP-2OF4-GASKET	332-D9156	31UG4	SEE NOTE GC
166	1	RSP-1OF4-GASKET	332-D9155	31UG4	SEE NOTE GD
167	1	AC-DOOR-GASKET	347-23283	31UG4	SEE NOTE GE
168	1	RSPR-PT11-GASKET	332-D9173	31UG4	SEE NOTE GF
169	1	RSPR-PT10-GASKET	332-D9172	31UG4	SEE NOTE GG
170	1	RSPR-PT8-GASKET	332-D9170	31UG4	SEE NOTE GH
171	1	RSPR-PT7-GASKET	332-D9168	31UG4	SEE NOTE GI
172	1	RSPR-PT6-GASKET	332-D9167	31UG4	SEE NOTE GJ
173	1	RSPR-PT5-GASKET	332-D9164	31UG4	SEE NOTE GK
174	1	RSPR-PT4-GASKET	332-D9163	31UG4	SEE NOTE GL
175	1	RSPR-PT3-GASKET	332-D9161	31UG4	SEE NOTE GM
176	1	RSPR-PT2-GASKET	332-D9160	31UG4	SEE NOTE GN
177	1	RSPR-PT1-GASKET	332-D9159	31UG4	SEE NOTE GO
178	1	REAR-RIGHT-TOP-GASKET	347-23295	31UG4	SEE NOTE GP
179	1	REAR-LEFT-TOP-GASKET	347-23293	31UG4	SEE NOTE GQ
180	1	RP-2OF2-GASKET	332-D9181	31UG4	SEE NOTE GR
181	1	RP-1OF2-GASKET	332-D9180	31UG4	SEE NOTE GS
182	1	RRP-PT2-GASKET	332-D9179	31UG4	SEE NOTE GT
183	1	RRP-PT2-GASKET	332-D9179	31UG4	SEE NOTE GU
184	1	RSPR-PT9-GASKET	332-D9171	31UG4	SEE NOTE GV
185	1	RRP-PT1-GASKET	332-D9177	31UG4	SEE NOTE GW
186	1	LRP-PT2-GASKET	332-D9175	31UG4	SEE NOTE GX
187	1	LSPR-2OF2-GASKET	332-D9151	31UG4	SEE NOTE GY
188	1	LRP-GASKET	332-D9174	31UG4	SEE NOTE GZ
189	1	APL-R-GASKET	347-232945	31UG4	SEE NOTE HA
190	1	APU-R-GASKET	332-D1268	31UG4	SEE NOTE HB

FL. PREPARE ONE (1) FRP-GASKET, P/N 347-23270, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "148"

FM. PREPARE ONE (1) FLP-GASKET, P/N 347-23269, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "149"

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

FN. PREPARE ONE (1) BULKHEAD-RH-GASKET, P/N 347-23308, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "150"

FO. PREPARE ONE (1) BULKHEAD-LH-GASKET, P/N 347-23307, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "151"

FP. PREPARE ONE (1) FP-PT4GASKET, P/N 332-D9145, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "152"

FQ. PREPARE ONE (1) FP-PT3-GASKET, P/N 332-D9144, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "153"

FR. PREPARE ONE (1) FP-PT2-GASKET, P/N 332-D9143, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "154"

FS. PREPARE ONE (1) FP-PT1-2OF2-GASKET, P/N 332-D9142, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "155"

FT. PREPARE ONE (1) FP-PT1-1OF2-GASKET, P/N 332-D9141, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "156"

FU. PREPARE ONE (1) LSP-4OF4-GASKET, P/N 332-D9149, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "157"

FV. PREPARE ONE (1) LSP-3OF4-GASKET, P/N 332-D9148, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "158"

FW. PREPARE ONE (1) LSP-2OF4-GASKET, P/N 332-D9147, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "159"

FX. PREPARE ONE (1) LSP-1OF4-GASKET, P/N 332-D9146, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "160"

FY. PREPARE ONE (1) LSPR-PT3-GASKET, P/N 332-D9152, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "161"

FZ. PREPARE ONE (1) LSPR-1OF2-GASKET, P/N 332-D9150, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "162"

GA. PREPARE ONE (1) RSP-4OF4-GASKET, P/N 332-D9158, IN ACCORDANCE WITH THE STEPS BELOW:
2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "163"

GB. PREPARE ONE (1) RSP-3OF4-GASKET, P/N 332-D9157, IN ACCORDANCE WITH THE STEPS BELOW:
3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "164"

GC. PREPARE ONE (1) RSP-2OF4-GASKET, P/N 332-D9156, IN ACCORDANCE WITH THE STEPS BELOW:
4. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "165"

GD. PREPARE ONE (1) RSP-1OF4-GASKET, P/N 332-D9155, IN ACCORDANCE WITH THE STEPS BELOW:
5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "166"

GE. PREPARE ONE (1) AC-DOOR-GASKET, P/N 347-23283, IN ACCORDANCE WITH THE STEPS BELOW:
6. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "167"

GF. PREPARE ONE (1) RSPR-PT11-GASKET, P/N 332-D9173, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "168"

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

GG. PREPARE ONE (1) RSPR-PT10-GASKET, P/N 332-D9172, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "169"

GH. PREPARE ONE (1) RSPR-PT8-GASKET, P/N 332-D9170, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "170"

GI. PREPARE ONE (1) RSPR-PT7-GASKET, P/N 332-D9168, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "171"

GJ. PREPARE ONE (1) RSPR-PT6-GASKET, P/N 332-D9167, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "172"

GK. PREPARE ONE (1) RSPR-PT5-GASKET, P/N 332-D9164, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "173"

GL. PREPARE ONE (1) RSPR-PT4-GASKET, P/N 332-D9163, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "174"

GM. PREPARE ONE (1) RSPR-PT3-GASKET, P/N 332-D9161, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "175"

GN. PREPARE ONE (1) RSPR-PT2-GASKET, P/N 332-D9160, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "176"

GO. PREPARE ONE (1) RSPR-PT1-GASKET, P/N 332-D9159, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "177"

GP. PREPARE ONE (1) REAR-RIGHT-TOP-GASKET, P/N 347-23295, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "178"

GQ. PREPARE ONE (1) REAR-LEFT-TOP-GASKET, P/N 347-23293, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "179"

GR. PREPARE ONE (1) RP-2OF2-GASKET, P/N 332-D9181, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "180"

GS. PREPARE ONE (1) RP-1OF2-GASKET, P/N 332-D9180, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "181"

GT. PREPARE ONE (1) RRP-PT2-GASKET, P/N 332-D9179, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "182"

GU. PREPARE ONE (1) RRP-PT2-GASKET, P/N 332-D9179, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "183"

GV. PREPARE ONE (1) RSPR-PT9-GASKET, P/N 332-D9171, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "184"

GW. PREPARE ONE (1) RRP-GASKET, P/N 332-D9177, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "185"

GX. PREPARE ONE (1) LRP-PT2-GASKET, P/N 332-D9175, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "186"

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

GY. PREPARE ONE (1) LSRP-2OF2-GASKET, P/N 332-D9151, IN ACCORDANCE WITH THE STEPS BELOW

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "187"

GZ. PREPARE ONE (1) LRP-GASKET, P/N 332-D9174, IN ACCORDANCE WITH THE STEPS BELOW:

1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "188"

HA. PREPARE ONE (1) APL-R-GASKET, P/N 347-23945, IN ACCORDANCE WITH THE STEPS BELOW:

2. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "189"

HB. PREPARE ONE (1) APU-R-GASKET, P/N 332-D1268, IN ACCORDANCE WITH THE STEPS BELOW:

3. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "190"

HC. CONSOLIDATE ITEMS FROM NOTES FJ-GZ IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 148-190 INTO CONTAINER. (SEE PLACEMENT NOTE 3)
2. CONTAINER: ASTM-D5118, ST TD, TY CF, CL WR, VR SW, GR W5C, SIZE: 53 X 40 X 2
3. PLACEMENT: ITEMS ARE GOING TO BE PLACED FLAT, NOT ON TOP OF EACH OTHER, AND LAYERED INTO CONTAINER DIVIDED BY PADS IN THE FOLLOWING FASHION
 - I. PLACE SPN'S 148-160 FLAT INTO CONTAINER
 - II. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 53 X 40
 - III. PLACE SPN'S 161-179 FLAT INTO CONTAINER
 - IV. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 53 X 40
 - V. PLACE SPN'S 180-190 FLAT INTO CONTAINER
4. CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 5A2.
5. IDENTIFICATION: IDENTIFY ITEM AS "B-KIT GASKET KIT (PLATE ARMOR)"
6. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 59 X 45. CLOSE BAG BY HEAT SEALING
7. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

GASKET KIT (TRANSPARENT ARMOR INSTALL)

<u>SPN</u>	<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
191	1	TA18x44-GASKET	347-23274	31UG4	SEE NOTE HD
192	1	TA18x44-GASKET	347-23274	31UG4	SEE NOTE HE
193	1	TA11x29-GASKET	347-23278	31UG4	SEE NOTE HF
194	1	TA11x29-GASKET	347-23278	31UG4	SEE NOTE HG
195	1	TA12x18-GASKET	347-23280	31UG4	SEE NOTE HH
196	1	TA6x18-GASKET	347-23290	31UG4	SEE NOTE HI
197	1	TA23x44-EGRESS-GASKET	347-23297	31UG4	SEE NOTE HJ
198	1	TA23x44-EGRESS-GASKET	347-23297	31UG4	SEE NOTE HK

HD. PREPARE ONE (1) TA18x44-GASKET, P/N 347-23274, IN ACCORDANCE WITH THE STEPS BELOW:
4. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "191"

HE. PREPARE ONE (1) TA18x44-GASKET, P/N 347-23274, IN ACCORDANCE WITH THE STEPS BELOW:
5. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "192"

HF. PREPARE ONE (1) TA11x29-GASKET, P/N 347-23278, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "193"

HG. PREPARE ONE (1) TA11x29-GASKET, P/N 347-23278, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "194"

HH. PREPARE ONE (1) TA12x18-GASKET, P/N 347-23280, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "195"

HI. PREPARE ONE (1) TA6x18-GASKET, P/N 347-23290, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "196"

HJ. PREPARE ONE (1) TA23x44-GASKET, P/N 347-23297, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "197"

HK. PREPARE ONE (1) TA23x44-GASKET, P/N 347-23297, IN ACCORDANCE WITH THE STEPS BELOW:
1. IDENTIFICATION: IDENTIFY ITEM WITH SEGREGATED PACK NUMBER "198"

HL. CONSOLIDATE ITEMS FROM NOTES HB-HI IN ACCORDANCE WITH THE STEPS BELOW:

1. PLACE SPN'S 191-198 INTO CONTAINER. (SEE PLACEMENT NOTE 3)
1. CONTAINER: ASTM-D5118, ST TD, TY CF, CL WR, VR SW, GR W5C, SIZE: 48 X 26 X 3
2. PLACEMENT: ITEMS ARE GOING TO BE PLACED FLAT, NOT ON TOP OF EACH OTHER, AND LAYERED INTO CONTAINER DIVIDED BY PADS IN THE FOLLOWING FASHION
 - I. PLACE SPN 191 FLAT INTO CONTAINER
 - II. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 48 X 26
 - III. PLACE SPN192 FLAT INTO CONTAINER
 - IV. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 48 X 26
 - V. PLACE SPN'S 193-196 FLAT INTO CONTAINER
 - VI. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 48 X 26
 - VII. PLACE SPN 197 FLAT INTO CONTAINER
 - VIII. PAD: ASTM - D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200, SIZE: 48 X 26
 - IX. PLACE SPN 198 FLAT INTO CONTAINER
3. CLOSE CONTAINER ACCORDING TO ASTM-D1974, METHOD 5A2.
4. IDENTIFICATION: IDENTIFY ITEM AS "B-KIT GASKET KIT (TRANSPARENT ARMOR)"
5. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 55 X 32. CLOSE BAG BY HEAT SEALING
6. INSPECTION: INSPECT IN ACCORDANCE WITH THE CRITERIA FOR METHOD 31.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

HM. CONSOLIDATE CONTAINERS FROM NOTES FK, HC, AND HL IN ACCORDANCE WITH THE STEPS BELOW.

- CONTAINER: ASTM-D5118, ST HSC **WITHOUT** CAP, TY CF, CL WR, VR SW, GR W5C, SIZE: 59-1/2 X 48 X 11
- ITEMS GOING INTO CONTAINER ARE PLACED INTO THE CONTAINER IN THE FOLLOWING ORDER, CONTAINER FROM NOTE FF, CONTAINER FORM NOTE GX, AND THEN CONTAINER FROM NOTE HG.
- CONSOLIDATED CONTAINER PLACEMENT: SEE PAGE 90 FOR CONSOLIDATED CONTAINER PLACMENT.

PLATE ARMOR

<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
1	FRP-BATTEN	347-23021	31UG4	SEE PAGE 75
1	FLP-BATTEN	347-23020	31UG4	SEE PAGE 75
1	FRP	347-10560	31UG4	SEE PAGE 75
1	FLP	347-10559	31UG4	SEE PAGE 75
1	FP	347-10561	31UG4	SEE PAGE 76
1	LSP+DOOR	347-10562	31UG4	SEE PAGE 77
1	RSP	347-10564	31UG4	SEE PAGE 78
1	LSRP	347-10563	31UG4	SEE PAGE 79, 80
1	RSPR	347-10565	31UG4	SEE PAGE 80
1	RP	347-10566	31UG4	SEE PAGE 80
1	RRP	347-10722	31UG4	SEE PAGE 81
1	LRP	347-10723	31UG4	SEE PAGE 81
1	AAPR	347-10717	31UG4	SEE PAGE 81
1	AAPL	347-10718	31UG4	SEE PAGE 81
1	EP	347-10567	31UG4	SEE PAGE 88, 89

HN. CONSOLIDATE PLATE ARMOR ASSEMBLIES, IN ACCORDANCE WITH THE STEPS BELOW.

- CONTAINER: MIL-C-104, TY II, CL 2, ST A, SIZE: 119.5 X 66 X 54
- PLACEMENT: DIAGRAMS ON PAGES 49-95, FOR ITEM AND BLOCKING PLACEMENT
- PAD/BARRIER: ASTM-D4727, TY CF, CL D, VR DW, GR 350. SIZES: SEE TABLES AND DIAGRAM BELOW FOR PAD SIZES AND PLACEMENT. ONE PAD SHALL BE PLACED BETWEEN ARMOR SURFACES AND CONTAINER TO KEEP ARMOR FROM COMING IN DIRECT CONTACT WITH CONTAINER LUMBER.
- BARRIER: : MIL-PRF-121, TY II, SIZES: 1 PC – 48 X 18 AND 4 PCS- 48 X 24 SEE PAGES 82 AND 88.
- CLOSURE: CLOSURE SHALL BE IN ACCORDANCE WITH THE APPLICABLE CONTAINER SPECIFICATION ASTM-D6251.
- THE UNIT CONTAINER IS THE SHIPPING CONTAINER
- MARKINGS: IN ADDITION TO THE MARKINGS FOR MIL-STD-129, THE UNIT CONTAINER SHALL BE MARKED ON TOP AND ONE SIDE WITH MINIMUM 1/2 IN BLACK LETTERS **“REUSABLE CONTAINER, DO NOT DESTROY.”** IN ADDITION, THE TOP SHALL BE MARKED **“REMOVE LAG SCREWS TO OPEN CONTAINER,”** USING MINIMUM 1/2 INCH HIGH BLACK LETTERS. ALSO THE END OPPOSITE THE ARMOR PLATING WILL BE LABELED, **“OPEN TOP AND THIS END ONLY TO REMOVE B-KIT”** (SEE PAGE 94). BOTH SIDES OF THE CONTAINER WILL ALSO BE MARKED IDENTIFYING THE **“CENTER OF GRAVITY”** OF THE CONTAINER.(SEE PAGE 95)


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**CONTAINER BASE
(NO BLOCKING , ISO VIEW)**



**CONTAINER BASE
(NO BLOCKING, TOP VIEW AND DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09


6. REVISION**CONTAINER BASE BLOCKING CONSISTS OF THE FOLLOWING:**

<u>ITEM</u>	<u>SIZE</u>	<u>QTY</u>	<u>ADDITIONAL NOTES:</u>
A	2 X 4 X 66	4	SEE PAGE 50, 51, 52
B	2 X 4 X 7-3/4	1	SEE PAGE 50
C	2 X 4 X 25-1/4	1	SEE PAGE 50
D	2 X 4 X 21-1/2	1	SEE PAGE 50
E	2 X 4 X 7	1	SEE PAGE 50
F	2 X 4 X 53-1/2	1	SEE PAGE 50
G	2 X 4 X 5-1/2	1	SEE PAGE 51
H	2 X 4 X 6	2	SEE PAGE 51
I	2 X 4 X 23-1/2	1	SEE PAGE 51
J	2 X 8 X 66	2	SEE PAGE 51, 52
K	2 X 8 X 22	1	SEE PAGE 51
L	2 X 10 X 20-1/2	1	SEE PAGE 51
M	2 X 4 X 16-3/8	1	SEE PAGE 52
N	2 X 2 X 42-1/4	1	SEE PAGE 52
O	2 X 10 X 20-1/4	1	SEE PAGE 52
P	2 X 6 X 7-3/4	1	SEE PAGE 52
Q	2 X 6 X 6-1/4	1	SEE PAGE 52
R	2 X 6 X 34-1/2	1	SEE PAGE 52
S	2 X 4-1/2 X 28-3/4 (ACTUAL)	1	SEE PAGE 86

NOTE: ITEM S IS ATTACHED TO THE CONTAINER BASE AFTER TRANSPARENT ARMOR CONTAINER IS PLACED INTO UNIT CONTAINER. SEE PAGE 86.

UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

**CONTAINER BASE
(WITH BLOCKING, ISO VIEW)**



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER BASE
(BLOCKING LAYERS 1&2, ISO VIEW)**

CONTAINER BASE BLOCKING
LAYERS 1 & 2 CONSISTS OF THE
FOLLOWING:

- 1 PC - ITEM A
- 1 PC - ITEM B
- 1 PC - ITEM C
- 1 PC - ITEM D
- 1 PC - ITEM E
- 1 PC - ITEM F



**CONTAINER BASE
(BLOCKING LAYERS 1 & 2, TOP VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER BASE
(BLOCKING LAYERS 3 & 4, ISO VIEW)**

CONTAINER BASE BLOCKING LAYERS 3 & 4 CONSISTS OF THE FOLLOWING:

- 2 PCS – ITEM H
- 1 PC – ITEM I
- 1 PC – ITEM J
- 1 PC – ITEM K
- 1 PC – ITEM L
- 1 PC – ITEM A



**CONTAINER BASE
(BLOCKING LAYERS 3 & 4, TOP VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER BASE
(BLOCKING LAYERS 5 & 6, ISO VIEW)**

CONTAINER BASE BLOCKING LAYERS 5 & 6 CONSISTS OF THE FOLLOWING:

- 1 PC – ITEM M
- 1 PC – ITEM N
- 1 PC – ITEM O
- 1 PC – ITEM P
- 1 PC – ITEM Q
- 1 PC – ITEM R
- 1 PC – ITEM A
- 1 PC – ITEM J



**CONTAINER BASE
(BLOCKING LAYERS 5 & 6, TOP VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**CONTAINER SIDE PANEL A
(NO BLOCKING, ISO VIEW)**



**CONTAINER SIDE PANEL A
(NO BLOCKING, FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION**CONTAINER SIDE PANEL A BLOCKING CONSISTS OF THE FOLLOWING:**

<u>ITEM</u>	<u>SIZE</u>	<u>QTY</u>	<u>ADDITIONAL NOTES:</u>
T	2 X 4 X 24-3/4	1	SEE PAGE 55
U	2 X 10 X 24-3/4	1	SEE PAGE 55
V	2 X 4 X 26-1/4	1	SEE PAGE 55
W	2 X 10 X 26-1/4	1	SEE PAGE 55
X	2 X 10 X 34-1/4	1	SEE PAGE 55
Y	2 X 4 X 9-1/4	1	SEE PAGE 55
Z	2 X 4 X 47	2	SEE PAGE 55
AA	2 X 4 X 3-1/2	1	SEE PAGE 56
AB	2 X 4 X 5-1/2	1	SEE PAGE 56
AC	2 X 8 X 6-5/8	1	SEE PAGE 56
AD	2 X 4 X 54-1/4	1	SEE PAGE 56
AE	2 X 8 X 12-3/4	3	SEE PAGE 56
AF	2 X 4 X 12-3/4	3	SEE PAGE 56
AG	2 X 10 X 12-3/4	1	SEE PAGE 56
AH	2 X 6 X 36-1/4	1	SEE PAGE 56
AI	2 X 4 X 36-1/4	2	SEE PAGE 56
AJ	2 X 6 X 12-1/4	2	SEE PAGE 57

NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER SIDE PANEL A
(BLOCKING LAYER 1, ISO VIEW)**

CONTAINER SIDE PANEL A
BLOCKING LAYER 1 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM T
- 1 PC – ITEM U
- 1 PC – ITEM V
- 1 PC – ITEM W
- 1 PC – ITEM X
- 1 PC – ITEM Y
- 2 PCS – ITEM Z



**CONTAINER SIDE PANEL A
(BLOCKING LAYER 1, FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER SIDE PANEL A
(BLOCKING LAYER 2, ISO VIEW)**

CONTAINER SIDE PANEL A
BLOCKING LAYER 2 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AA
- 1 PC – ITEM AB
- 1 PC – ITEM AC
- 1 PC – ITEM AD
- 3 PCS – ITEM AE
- 3 PCS – ITEM AF
- 1 PC – ITEM AG
- 1 PC – ITEM AH
- 2 PCS – ITEM AI



**CONTAINER SIDE PANEL A
(BLOCKING LAYER 2, FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**CONTAINER SIDE PANEL A
(BLOCKING LAYER 3, ISO VIEW)**

CONTAINER SIDE PANEL A
BLOCKING LAYER 3 CONSISTS
OF THE FOLLOWING:
2 PCS – ITEM AJ



**CONTAINER SIDE PANEL A
(BLOCKING LAYER 3, FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**CONTAINER SIDE PANEL B
(NO BLOCKING, ISO VIEW)**



**CONTAINER SIDE PANEL B
(NO BLOCKING, FRONT VIEW)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION**CONTAINER SIDE PANEL B BLOCKING CONSISTS OF THE FOLLOWING:**

<u>ITEM</u>	<u>SIZE</u>	<u>QTY</u>	<u>ADDITIONAL NOTES:</u>
T	2 X 4 X 24-3/4	1	SEE PAGE 60
U	2 X 10 X 24-3/4	1	SEE PAGE 60
V	2 X 4 X 26-1/4	1	SEE PAGE 60
W	2 X 10 X 26-1/4	1	SEE PAGE 60
X	2 X 10 X 34-1/4	1	SEE PAGE 60
Y	2 X 4 X 9-1/4	1	SEE PAGE 60
Z	2 X 4 X 47	2	SEE PAGE 60
AA	2 X 4 X 3-1/2	1	SEE PAGE 61
AB	2 X 4 X 5-1/2	1	SEE PAGE 61
AC	2 X 8 X 6-5/8	1	SEE PAGE 61
AD	2 X 4 X 54-1/4	1	SEE PAGE 61
AE	2 X 8 X 12-3/4	3	SEE PAGE 61
AF	2 X 4 X 12-3/4	3	SEE PAGE 61
AG	2 X 10 X 12-3/4	1	SEE PAGE 61
AH	2 X 6 X 36-1/4	1	SEE PAGE 61
AI	2 X 4 X 36-1/4	2	SEE PAGE 61
AJ	2 X 6 X 12-1/4	2	SEE PAGE 62
AK	2 X 4 X 34-1/4	1	SEE PAGE 60
AL	2 X 6 X 34-1/4	1	SEE PAGE 60
AM	2 X 8 X 36-1/4	1	SEE PAGE 61

NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER SIDE PANEL B
(BLOCKING LAYER 1, ISO VIEW)**



**CONTAINER SIDE PANEL B
BLOCKING LAYER 1 CONSISTS
OF THE FOLLOWING:**

- 1 PC – ITEM T
- 1 PC – ITEM U
- 1 PC – ITEM V
- 1 PC – ITEM W
- 1 PC – ITEM X
- 1 PC – ITEM Y
- 2 PCS – ITEM Z
- 1 PC – ITEM AK
- 1 PC – ITEM AL

**CONTAINER SIDE PANEL B
(BLOCKING LAYER 1, FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.


UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION



CONTAINER SIDE PANEL B (BLOCKING LAYER 2, FRONT VIEW WITH DIMS)



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**CONTAINER SIDE PANEL B
(BLOCKING LAYER 3, ISO VIEW)**

CONTAINER SIDE PANEL A
BLOCKING LAYER 3 CONSISTS
OF THE FOLLOWING:
2 PCS – ITEM AJ



**CONTAINER PANEL SIDE B
(BLOCKING LAYER 3, FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION**REMOVABLE CONTAINER BLOCKING CONSISTS OF THE FOLLOWING:**

<u>ITEM</u>	<u>SIZE</u>	<u>QTY</u>	<u>ADDITIONAL NOTES:</u>
AN	2 X 6 X 64-1/2	7	SEE PAGE 64, 65, 66, 67, 69, 70, 72
AO	2 X 10 X 60	2	SEE PAGE 64
AP	2 X 2 X 47-1/2	1	SEE PAGE 64
AQ	2 X 10 X 11	4	SEE PAGE 65
AR	2 X 10 X 28	2	SEE PAGE 65
AS	2 X 6 X 6-3/4	8	SEE PAGE 66, 67, 69, 70
AT	2 X 4 X 16	6	SEE PAGE 66, 67, 69
AU	2 X 4 X 12-1/4	8	SEE PAGE 66, 67, 69, 70
AV	2 X 10 X 22-1/4	4	SEE PAGE 66, 67
AW	2 X 10 X 11	1	SEE PAGE 66, 77
AX	2 X 10 X 12-3/4	1	SEE PAGE 67, 78
AY	2 X 10 X 16	2	SEE PAGE 69
AZ	2 X 2 X 19-1/2	1	SEE PAGE 69
BA	2 X 4 X 37-3/4	2	SEE PAGE 68
BB	2 X 6 X 42	2	SEE PAGE 68
BC	2 X 6 X 25-1/4	3	SEE PAGE 68
BD	2 X 3 X 53-1/2 (ACTUAL)	1	SEE PAGE 70
BE	2 X 4-3/4 X 64-1/2 (ACTUAL)	1	SEE PAGE 70
BF	2 X 6 X 10	2	SEE PAGE 70
BG	2 X 10 X 61-1/2	1	SEE PAGE 71
BH	2 X 10 X 19-3/4	3	SEE PAGE 71
BI	2 X 4 X 19-3/4	12	SEE PAGE 71
BJ	2 X 6 X 6-1/4	2	SEE PAGE 72
BK	2 X 6 X 61-1/2	1	SEE PAGE 72
BL	2 X 4 X 30-1/2	1	SEE PAGE 73
BM	2 X 4 X 63	2	SEE PAGE 73
BN	2 X 4 X 16	2	SEE PAGE 73
BO	2 X 4 X 28-3/4	2	SEE PAGE 73
BP	2 X 4 X 35-3/4	2	SEE PAGE 73
BQ	2 X 4 X 11-1/4	2	SEE PAGE 73
BR	4 X 4 X 30-1/2	4	SEE PAGE 73

NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

REMOVABLE CONTAINER BLOCKING CORRUGATE PADS AND BARRIER CONSISTS OF THE FOLLOWING:

<u>ITEM</u>	<u>SIZE</u>	<u>QTY</u>	<u>ADDITIONAL NOTES:</u>
PT	64-1/2 X 3 X DW	6	SEE PAGE 75, 76, 81
PU	16 X 3 X DW	2	SEE PAGE 77, 78
PV	42 X 3 X DW	2	SEE PAGE 77, 78
PW	24 X 3 X DW	4	SEE PAGE 77, 78, 79, 80
PX	38 X 3 X DW	1	SEE PAGE 79
PY	44 X 12 X DW	1	SEE PAGE 80
PZ	40 X 6 X DW	1	SEE PAGE 80
PAA	48 X 24 X MIL-PRF-121	4	SEE PAGE 82
PAB	48 X 18 X MIL-PRF-121	1	SEE PAGE 88

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**REMOVABLE CONTAINER BLOCKING, LAYER 1
(ISO VIEW)**


REMOVABLE CONTAINER
BLOCKING LAYER 1 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AN
- 2 PCS – ITEM AO
- 1 PC – ITEM AP



NOTE: ITEM AP DOES NOT RUN THE FULL LENGTH OF THE BLOCKING ASSY. IT SHOULD BE POSITIONED SO THAT IT IS FLUSH WITH BOTH ENDS OF ITEMS AO WHERE THE ARROW IS SPECIFYING.

**REMOVABLE CONTAINER BLOCKING, LAYER 1
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 1, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**REMOVABLE CONTAINER BLOCKING, LAYER 2
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 2 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AN
- 4 PCS – ITEM AQ
- 2 PCS – ITEM AR



**REMOVABLE CONTAINER BLOCKING, LAYER 2
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 2, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**REMOVABLE CONTAINER BLOCKING, LAYER 3
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 3 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AN
- 2 PCS – ITEM AS
- 2 PCS – ITEM AT
- 2 PCS – ITEM AU
- 2 PCS – ITEM AV
- 1 PC – ITEM AW



**REMOVABLE CONTAINER BLOCKING, LAYER 3
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 3, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**REMOVABLE CONTAINER BLOCKING, LAYER 4
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 4 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AN
- 2 PCS – ITEM AS
- 2 PCS – ITEM AT
- 2 PCS – ITEM AU
- 2 PCS – ITEM AV
- 1 PC – ITEM AX



**REMOVABLE CONTAINER BLOCKING, LAYER 4
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 4, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**REMOVABLE CONTAINER BLOCKING, LAYER 5.1
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 5.1 CONSISTS
OF THE FOLLOWING:
2 PCS – ITEM BA
2 PCS – ITEM BB
3 PCS – ITEM BC



**REMOVABLE CONTAINER BLOCKING, LAYER 5.1
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 5.1, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**REMOVABLE CONTAINER BLOCKING, LAYER 5.2
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 5.2 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AN
- 2 PCS – ITEM AS
- 2 PCS – ITEM AT
- 2 PCS – ITEM AU
- 2 PCS – ITEM AY
- 1 PC – ITEM AZ



**REMOVABLE CONTAINER BLOCKING, LAYER 5.2
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 5.2, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**REMOVABLE CONTAINER BLOCKING, LAYER 6
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 6 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM AN
- 2 PCS – ITEM AS
- 2 PCS – ITEM AU
- 1 PC – ITEM BD
- 1 PC – ITEM BE
- 2 PCS – ITEM BF



**REMOVABLE CONTAINER BLOCKING, LAYER 6
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 6, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**REMOVABLE CONTAINER BLOCKING, LAYER 7
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 7 CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM BG
- 3 PCS – ITEM BH
- 12 PCS – ITEM BI



**REMOVABLE CONTAINER BLOCKING, LAYER 7
(FRONT VIEW WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, LAYER 7, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**REMOVABLE BLOCKING, CENTER SUPPORT
(ISO VIEW)**

REMOVABLE CONTAINER
BLOCKING LAYER 7 CONSISTS
OF THE FOLLOWING:
1 PC – ITEM AN
2 PCS – ITEM BJ
1 PC – ITEM BK



**REMOVABLE BLOCKING, CENTER SUPPORT
(FRONT VIEW, WITH DIMS)**



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.

REMOVABLE BLOCKING, CENTER SUPPORT, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


REMOVABLE CONTAINER BLOCKING, HARDWARE CONTAINER, TRANSPARENT CONTAINER, AND EP ARMOR HOLD DOWN (ISO VIEW)

REMOVABLE CONTAINER
HARDWARE AND TRANSPARENT
ARMOR HOLD DOWN CONSISTS
OF THE FOLLOWING:

- 1 PC – ITEM BL
- 2 PCS – ITEM BM
- 2 PCS – ITEM BN
- 2 PCS – ITEM BO
- 2 PCS – ITEM BP
- 2 PCS – ITEM BQ
- 4 PCS – ITEM BR



REMOVABLE CONTAINER BLOCKING, HARDWARE AND TRANSPARENT ARMOR HOLD DOWN (FRONT VIEW WITH DIMS)



NOTE: UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE BLOCKING TOGETHER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND COSOLIDATION
(CONTAINER ISO VIEW)
(SIDE AND TOP PANELS NOT SHOWN FOR CLARITY)
(END PANEL NOT BEING SHOWN WILL ACTUALLY BE REMOVED DURING PACKAGING)**



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND COSOLIDATION, LAYER 1
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF LAYER 1 REQUIRES
THE FOLLOWING ITEMS:
REMOVABLE BLOCKING ASSY, LAYER 1
2 PCS – ITEM PT

LAYER 1 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:
1 – FPR BATTEN
1 – FLP BATTEN
1 – FRP
1 – FLP



NOTE: REMOVABLE BLOCKING ASSY, LAYER 1, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 2
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF LAYER 2 REQUIRES
THE FOLLOWING ITEMS:
REMOVABLE BLOCKING ASSY, LAYER 2
2 PCS – ITEM PT

LAYER 2 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:
1 – FP



NOTE: REMOVABLE BLOCKING ASSY, LAYER 2, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 3
(ISO VIEW, SIDE PANEL B NOT SHOWN)**


CONSOLIDATION OF LAYER 3 REQUIRES
THE FOLLOWING ITEMS:

REMOVABLE BLOCKING ASSY, LAYER 3

- 1 PC – ITEM PU
- 1 PC – ITEM PV
- 1 PC – ITEM PW

LAYER 3 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:

- 1 – LSP + DOOR



NOTE: ITEM AW OF REMOVABLE BLOCKING ASSEMBLY, LAYER 3, IS ATTACHED TO THE INTERIOR OF THE CONTAINER ONCE CONSOLIDATION OF ARMOR IS COMPLETED, USING HARDWARE CONFORMING TO ASME B-18. (SEE PAGE 93 FOR HARDWARE PLACEMENT)

HARDWARE NEEDED: 2-3/8" X 4" LAG SCREW 2-3/8" PLAIN WASHER

REMOVABLE BLOCKING ASSY, LAYER 3, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 4
(ISO VIEW, SIDE PANEL B NOT SHOWN)**


CONSOLIDATION OF LAYER 4 REQUIRES
THE FOLLOWING ITEMS:

REMOVABLE BLOCKING ASSY, LAYER 4

- 1 PC – ITEM PU
- 1 PC – ITEM PV
- 1 PC – ITEM PW

LAYER 4 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:

- 1 – RSP



NOTE: ITEM AX OF REMOVABLE BLOCKING ASSEMBLY, LAYER 4, IS ATTACHED TO THE INTERIOR OF THE CONTAINER ONCE CONSOLIDATION OF ARMOR IS COMPLETED, USING HARDWARE CONFORMING TO ASME B-18. (SEE PAGE 93 FOR HARDWARE PLACEMENT)

HARDWARE NEEDED: 2-3/8" X 4" LAG SCREW 2-3/8" PLAIN WASHER

REMOVABLE BLOCKING ASSY, LAYER 4, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 5.1
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF LAYER 5.1 REQUIRES
THE FOLLOWING ITEMS:

- 1 PC – ITEM PW
- 1 PC – ITEM PX

LAYER 5.1 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:

- 1 – LSRP



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 5.2
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF LAYER 5.2 REQUIRES
THE FOLLOWING ITEMS:

- REMOVABLE BLOCKING ASSY, LAYER 5.1
- REMOVABLE BLOCKING ASSY, LAYER 5.2
- 1 PC – ITEM PW
- 1 PC – ITEM PY
- 1 PC – ITEM PZ

LAYER 5.2 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:

- 1 – RSPR



NOTE: REMOVABLE BLOCKING ASSY 5.1 IS ATTACHED TO THE INTERIOR OF THE CONTAINER ONCE CONSOLIDATION OF ARMOR IS COMPLETED, USING HARDWARE CONFORMING TO ASME B-18. (SEE PAGE 93 FOR HARDWARE PLACEMENT)

HARDWARE NEEDED: 2-3/8" X 6" LAG SCREW 2-3/8" PLAIN WASHER

REMOVABLE BLOCKING ASSY, LAYER 5.2, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 6
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF LAYER 6 REQUIRES
THE FOLLOWING ITEMS:
REMOVABLE BLOCKING ASSY, LAYER 6
2 PCS – ITEM PT

LAYER 6 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:
1 – RP



NOTE: REMOVABLE BLOCKING ASSY, LAYER 6, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 7
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF LAYER 7 REQUIRES
THE FOLLOWING ITEMS:
REMOVABLE BLOCKING ASSY, LAYER 7
4 PCS – ITEM PAA

LAYER 7 CONSOLIDATION CONSISTS OF
THE FOLLOWING ARMOR:

- 1 – RRP
- 1 – LRP
- 1 – AAPR
- 1 – AAPL



NOTE: WHILE IT IS NOT SHOWN, ARMOR PIECES RRP, LRP, AAPR, AND AAPL ARE WRAPPED IN 48 X 24 MIL-PRF-121 PAPER BEFORE BEING PLACED INTO UNIT CONTAINER.

REMOVABLE BLOCKING ASSY, LAYER 7, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, CENTER SUPPORT
(ISO VIEW, SIDE PANEL B NOT SHOWN)**

CONSOLIDATION OF CENTER SUPPORT REQUIRES
THE FOLLOWING ITEMS:
REMOVABLE BLOCKING ASSY, CENTER SUPPORT



NOTE: REMOVABLE BLOCKING ASSY, CENTER SUPPORT, IS NOT TO BE ATTACHED TO UNIT CONTAINER IN ANY WAY.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION, LAYER 1-7 AND CENTER SUPPORT
(ISO VIEW, SIDE PANEL B NOT SHOWN)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER PLACEMENT AND CONSOLIDATION
(ISO VIEW, SIDE PANEL B NOT SHOWN)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**TRANSPARENT ARMOR CONTAINER BLOCKING, ITEM P
(ISO VIEW, SIDE PANEL B NOT SHOWN)**



NOTE: ITEM S IS ATTACHED TO THE UNIT CONTAINER BASE AFTER TRANSPARENT ARMOR CONTAINER HAS BEEN PLACED INTO UNIT CONTAINER.

UNLESS OTHERWISE SPECIFIED ALL LUMBER SIZES ARE NOMINAL AND IAW ASTM D-6199.

UNLESS OTHERWISE SPECIFIED, SECURE ALL BLOCKING TOGETHER AND TO THE INTERIOR OF THE UNIT CONTAINER USING NAILS/STAPLES CONFORMING TO ASTM-F1667.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**HARDWARE, BATTENS, AND MISC INSTALL CONTAINER PLACEMENT
(ISO VIEW, SIDE PANEL B NOT SHOWN)**



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**ARMOR PLATE PLACEMENT AND CONSOLIDATION
(ITEM EP, ISO VIEW)**

CONSOLIDATION OF ITEM EP REQUIRES THE
FOLLOWING ITEMS:

- 1 PC – ITEM PAB
- 1 - EP



NOTE: THE ARMOR EP IS PLACED ON TOP OF THE HARDWARE, BATTENS, AND MISC INTALL CONTAINER WITH BARRIER ITEM PAB PLACED BETWEEN AND WRAPPED AROUND THE ENDS OF EP TO PREVENT THE HARDWARE, BATTENS AND MICS INSTALL CONTAINER FROM COMING INTO DIRECT CONTACT WITH ARMOR EP. BARRIER MATERIAL IS TO BE WRAPPED AROUND ENDS OF EP TO PREVENT THE HARWARE, TRANSPARENT ARMOR, AND EP HOLD DOWN FROM COMING INTO DIRECT CONTACT WITH ARMOR EP. (SEE PAGE 89)


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

HARDWARE CONTAINER, TRANSPARENT CONTAINER, AND EP HOLD DOWN BLOCKING PLACEMENT (ISO VIEW)

CONSOLIDATION OF LAYER 7 REQUIRES THE FOLLOWING ITEMS:
REMOVABLE BLOCKING ASSY, HARDWARE, TRANSPARENT, AND EP HOLD DOWN.



NOTE: REMOVABLE BLOCKING ASSY, HARDWARE, TRANSPARENT, AND EP HOLD DOWN, IS ATTACHED TO THE INTERIOR OF THE CONTAINER ONCE CONSOLIDATION OF ARMOR IS COMPLETED, USING HARDWARE CONFORMING TO ASME B-18. (SEE PAGES 92 AND 93 FOR HARDWARE PLACEMENT)

HARDWARE NEEDED: 8-3/8" X 4" LAG SCREW

8-3/8" PLAIN WASHER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**GASKET CONTAINERS CONSOLIDATION AND PLACEMENT
(ISO VIEW)**

CONSOLIDATION OF GASKET CONTAINERS
REQUIRES THE FOLLOWING ITEMS:
CONSOLIDATED CONTAINER FROM NOTE FF
CONSOLIDATED CONTAINER FROM NOTE GX
CONSOLIDATED CONTAINER FORM NOTE HG




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**B-KIT CONSOLIDATION COMPLETE
(ISO VIEW)**



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

THE FOLLOWING ITEMS ARE REQUIRED TO REPACK A-KIT COMPONENTS ONCE B-KIT HAD BEEN REMOVED AND THEREFORE NEED TO BE PACKAGED ALONG WITH THE B-KIT:

ITEM

- A 2 - CONTAINER: ASTM-D5118, ST TD, TY CF, CL WR, VR SW, GR W5C, SIZE: 55-1/2 X 36 X 7-1/2
- B 1 - CONTAINER: ASTM-D5188, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 38 X 14 X 18
- C 1 - CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 41-1/2 X 33 X 3
- D 4 - CONTAINER: ASTM - D5118, ST RSC, TY CF, CL D, GR 350 DW, SIZE: 35 X 6 X 4 (USED AS BLOCKING)
- E 1 - CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 96 X 1/4.
- F 3 - CUSHIONING: A-A-59136, CLASS 1, GRADE A, TYPE III, THICKNESS: 2.0 INCHES, SIZE: 14 X 18
- G 2 - CUSHIONING: A-A-59136, CLASS 1, GRADE A, TYPE III, THICKNESS: 2.0 INCHES, SIZE:



SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.


2540-01-565-9262

5. DATE

6/10/09

6. REVISION

**B-KIT CONSOLIDATION COMPLETE
(SIDE PANEL A SHOWN, LAG SCREW LOCATIONS)**



SHOWING THE FOUR LAG SCREW
LOCATIONS ON SIDE PANEL A TO SECURE
THE HARDWARE, TRANSPARENT AND EP
HOLD DOWN BLOCKING.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**B-KIT CONSOLIDATION COMPLETE
(SIDE PANEL B SHOWN, LAG SCREW LOCATIONS)**



SHOWING THE FOUR LAG SCREW LOCATIONS ON SIDE PANEL B TO SECURE REMOVABLE BLOCKING ASSY, LAYER 3, ITEM AW AND REMOVABLE BLOCKING ASSY, LAYER 4, ITEM AX.

SHOWING THE FOUR LAG SCREW LOCATIONS ON SIDE PANEL B TO SECURE THE HARDWARE, TRANSPARENT AND EP HOLD DOWN BLOCKING.

SHOWING THE TWO LAG SCREW LOCATIONS ON SIDE PANEL B TO SECURE REMOVABLE BLOCKING ASSY, LAYER 5.1.


SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**B-KIT, OPEN THIS END ONLY
(ISO VIEW, TOP PANEL NOT SHOWN SO CORRECT END CAN BE IDENTIFIED)**




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**B-KIT, CENTER OF GRAVITY
(ISO VIEW)**



**B-KIT, CENTER OF GRAVITY, SIDE PANEL B
(SIDE VIEW WITH DIMS)**



NOTE: SIDE PANEL A IS MARKED WITH, CENTER OF GRAVITY, MIRRORED TO SIDE PANEL B.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

REPACKAGING OF REMOVED A-KIT COMPONENTS

NOTE: MANY OF THE A-KIT COMPONENTS ARE REPACKAGED USING THE CUSHIONING AND CORRUGATED CONTAINERS REMOVED FROM THE B-KIT COMPONENTS.

REMOVED A-KIT COMPONENTS CONSIST OF THE FOLLOWING:

<u>QTY</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>CAGE</u>	<u>PACKAGING</u>
2	SCREW	1315/0103D	OJKF0	SEE NOTE A
3	SETSCREW	1315/0203D	OJKF0	SEE NOTE B
7	SETSCREW M6 X 20MM	1315/0205D	OJKF0	SEE NOTE C
6	SETSCREW M8 X 25MM	1315/0307D	OJKF0	SEE NOTE D
16	SETSCREW M8 X 35MM	1315/0309D	OJKF0	SEE NOTE E
24	SETSCREW M10 X 30MM	1315/0408D	OJKF0	SEE NOTE F
2	M5 LOCK NUT	1370/0003D	OJKF0	SEE NOTE G
1	M6 LOCK NUT	1370/0103D	OJKF0	SEE NOTE H
6	M8 SELF LOCKING NUT	1370/0203D	OJKF0	SEE NOTE I
2	M8 LOCK NUT	1371/0203D	OJKF0	SEE NOTE J
24	CAP SCREW M5 X 20MM	1391/3105D	OJKF0	SEE NOTE K
2	CAP SCREW M5 X 40MM	1391/3110D	OJKF0	SEE NOTE L
3	1/4" WASHER MEDIUM	1411/0001D	OJKF0	SEE NOTE M
6	WASHER LARGE	1412/0001D	OJKF0	SEE NOTE N
8	WASHER PLAIN	1413/0002D	OJKF0	SEE NOTE O
6	WASHER	1420/0005D	OJKF0	SEE NOTE P
16	M8 WASHER	1420/0007D	OJKF0	SEE NOTE Q
28	M10 WASHER	1420/0008D	OJKF0	SEE NOTE R
4	M8 SPRING WASHER	1425/0007D	OJKF0	SEE NOTE S
2	SPACER, DOOR STRIKER	332/C1492	OJKF0	SEE NOTE T
1	COVER, FRONT WIPER MOTOR	332/C7503	OJKF0	SEE NOTE U
1	PLATE, WIPER	332/C7588	OJKF0	SEE NOTE V
2	BOLT, SHOULDER	332/C8591	OJKF0	SEE NOTE W
1	WIPER MOTOR LINKAGE	332/C9723	OJKF0	SEE NOTE X
1	FRONT LOWER ACCESS PANEL	332/D3485	OJKF0	SEE NOTE Y
1	FRONT ACCESS PANEL GASKET	332/D4237	OJKF0	SEE NOTE Z
1	HINGED COVER GASKET	332/E9369	OJKF0	SEE NOTE AA
2	PIN STRIKER	335/09574	OJKF0	SEE NOTE AB
1	PANEL, FENDER INFILL, LH	347/00739	OJKF0	SEE NOTE AC
1	PANEL, FENDER INFILL, RH	347/00742	OJKF0	SEE NOTE AD
1	DOOR, AIR-CON ACCESS	347/10488	OJKF0	SEE NOTE AE
1	BRACKET, REAR MARKER	347/10882	OJKF0	SEE NOTE AF
1	GRAB HANDLE, B-POST	347/10908	OJKF0	SEE NOTE AG
1	GRAB HANDLE, B-POST	347/10910	OJKF0	SEE NOTE AH
1	HINGE, CAB DOOR TOP, LH	347/10922	OJKF0	SEE NOTE AI
1	HINGE, CAB DOOR TOP, RH	347/10924	OJKF0	SEE NOTE AJ
1	BRACKET, REAR MARKER	347/10938	OJKF0	SEE NOTE AK
2	BRACKET, GAS STRUT	347/10945	OJKF0	SEE NOTE AL
1	MOUNTING, FRONT UPPER, LH	347/11016	OJKF0	SEE NOTE AM
1	MOUNTING, FRONT UPPER, RH	347/11017	OJKF0	SEE NOTE AN
1	MOUNTING, FRONT LOWER, LH	347/11018	OJKF0	SEE NOTE AO
1	MOUNTING, FRONT LOWER, RH	347/11019	OJKF0	SEE NOTE AP
1	FRONT UPPER ACCESS PANEL	347/11058	OJKF0	SEE NOTE AQ
1	REAR WIPER COVER	347/21285	OJKF0	SEE NOTE AR
1	MOTOR, WIPER	347/21995	OJKF0	SEE NOTE AS
1	BLOCK, SPACER	347/22030	OJKF0	SEE NOTE AT
3	LIGHT, FRONT MARKER	347/23341	OJKF0	SEE NOTE AU
3	LIGHT, REAR MARKER	347/23342	OJKF0	SEE NOTE AV

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

REMOVED A-KIT COMPONENTS CONT.

1	BOLT	347/23572	OJKF0	SEE NOTE AW
1	BRACKET, MARKER MOUNT	347/23597	OJKF0	SEE NOTE AX
1	HINGE, LOWER	347/23622	OJKF0	SEE NOTE AY
1	BRACKET, MAKER MOUNT	347/23716	OJKF0	SEE NOTE AZ
72	PLUG	347/23818	OJKF0	SEE NOTE BA
1	SEAL, LH SIDE	347/23820	OJKF0	SEE NOTE BB
1	SEAL, RH SIDE	347/23821	OJKF0	SEE NOTE BC
1	SEAL, LH REAR	347/23822	OJKF0	SEE NOTE BD
1	SEAL, RH REAR	347/23823	OJKF0	SEE NOTE BE
15	WASHER	347/23973	OJKF0	SEE NOTE BF
1	GASKET, PANEL, FRONT UPPER	347/24011	OJKF0	SEE NOTE BG
1	BUSH HINGE	476/10132	OJKF0	SEE NOTE BH
1	WIPER BLADE	714/03700	OJKF0	SEE NOTE BI
1	ARM, WIPER	714/17800	OJKF0	SEE NOTE BJ
1	JET WINDSCREEN WASHER	714/17801	OJKF0	SEE NOTE BK
1	WIPER BLADE	714/17900	OJKF0	SEE NOTE BL
1	ARM, WIPER	714/34800	OJKF0	SEE NOTE BM
1	DT MOUNTING CLIP	7210/0067	OJKF0	SEE NOTE BN
2	WASHER FIBRE	823/00317	OJKF0	SEE NOTE BO
10	WASHER	823/00322	OJKF0	SEE NOTE BP
1	WASHER	823/00588	OJKF0	SEE NOTE BQ
12	WASHER	823/00592	OJKF0	SEE NOTE BR
8	SCREW	826/01487	OJKF0	SEE NOTE BS
24	NUT RIVET	826/01794	OJKF0	SEE NOTE BT
1	GLASS, REAR CENTER SLIDING	347/23187	OJKF0	SEE NOTE BU
1	GLASS, SCREEN LOWER, LH	332/C4986	OJKF0	SEE NOTE BV
1	GLASS, SCREEN LOWER, RH	332/C5050	OJKF0	SEE NOTE BW
1	GLASS, SIDE WINDOW, LH	347/23182	OJKF0	SEE NOTE BW
1	GLASS, SIDE WINDOW, RH	347/23183	OJKF0	SEE NOTE BW
1	GLASS, REAR CORNER, LH	347/23184	OJKF0	SEE NOTE BW
1	GLASS, REAR CORNER, RH	347/23185	OJKF0	SEE NOTE BW
1	DOOR ASSY, LH, ABI	347/00752	OJKF0	SEE NOTE BX
1	DOOR ASSY, RH, ABI	347/00753	OJKF0	SEE NOTE BY

- A. PREPARE TWO (2) SCREW, P/N 1315/0103D, IN ACCORDANCE WITH THE STEPS BELOW:
 - 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 - 2. IDENTIFY MY PART NUMBER
- B. PREPARE THREE (3) SETSCREW, P/N 1315/0203D, IN ACCORDANCE WITH THE STEPS BELOW:
 - 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 - 2. IDENTIFY BY PART NUMBER
- C. PREPARE SEVEN (7) SETSCREW M6 X 20MM, P/N 1315/0205D, IN ACCORDANCE WITH THE STEPS BELOW:
 - 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING.
 - 2. IDENTIFY BY PART NUMBER
- D. PREPARE SIX (6) SETSCREW M8 X 25 MM, P/N 1315/0307D, IN ACCORDANCE WITH THE STEPS BELOW:
 - 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 - 2. IDENTIFY BY PART NUMBER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION

- A. PREPARE SIXTEEN (16) SETSCREW M8 X 35MM, P/N 1315/0309D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- B. PREPARE TWENTY FOUR (24) SETSCREW, P/N 1315/0408D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- C. PREPARE TWO (2) M5 LOCK NUT, P/N 1370/0003D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- D. PREPARE ONE (1) M6 LOCK NUT, P/N 1370/0103DD, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- E. PREPARE SIX (6) M8 SELF LOCKING NUT, P/N 1370/0203D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- F. PREPARE TWO (2) M8 LOCK NUT, P/N 1371/0203D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
- G. PREPARE TWO (24) CAP SCREW M5 X 20MM, P/N 1391/3105D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- H. PREPARE TWO (2) CAP SCREW, M5 X 40MM, P/N 1315/3110D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- I. PREPARE THREE (3) 1/4 WASHER MEDIUM, P/N 1411/0001D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- J. PREPARE SIX (6) WASHER LARGE, P/N 1412/0001D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- K. PREPARE EIGHT (8) WASHER PLAIN, P/N 1413/0002D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- L. PREPARE SIX (6) WASHER, P/N 1420/0005D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- E. PREPARE SIXTEEN (16) M8 WASHER, P/N 1420/0007D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- F. PREPARE TWENTY EIGHT (28) M10 WASHER, P/N 1420/0008D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

- G. PREPARE FOUR (4) M8 SPRING WASHER, P/N 1425/0007D, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- H. PREPARE TWO (2) SPACER, DOOR STRIKER, P/N 332/C1492, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4 (FOR EACH).
 2. IDENTIFY BY PART NUMBER
- I. PREPARE ONE (1) COVER, FRONT WIPER MOTOR, P/N 332/C7503 IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 18 X 1/4
 2. IDENTIFY BY PART NUMBER
- J. PREPARE ONE (1) PLATE, WIPER, P/N 1332/C7588, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4
 2. IDENTIFY BY PART NUMBER
- K. PREPARE TWO (2) BOLT, SHOULDER, P/N 332/C8591, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- L. PREPARE ONE (1) WIPER MOTOR LINKAGE, P/N 332/C9723, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 18 X 1/4
 2. IDENTIFY BY PART NUMBER
- M. PREPARE ONE (1) FRONT LOWER ACCESS PANEL, P/N 332/D3485, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 72 X 24 X 1/4 (CUSHIONING FROM APL)
 2. IDENTIFY BY PART NUMBER
- N. PREPARE ONE (1) FRONT ACCES PANEL GASKET, P/N 332/D4237, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- AA PREPARE ONE (1) HINGED COVER GASKET, P/N 332/E9369, IN ACCORDANCE WITH THE STEPS BELOW:
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- AB PREPARE TWO (2) PIN STRIKER, P/N 335/09574, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4
 2. IDENTIFY BY PART NUMBER
- AC PREPARE ONE (1) PANEL, FENDER INFILL, LH, P/N 347/00739, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 18 X 1/4
 2. IDENTIFY BY PART NUMBER
- AD PREPARE ONE (1) PANEL, FENDER INFILL, RH, P/N 347/00742, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 18 X 1/4
 2. IDENTIFY BY PART NUMBER
- AE PREPARE ONE (1) DOOR AIR-CON ACCESS, P/N 347/10488, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 24 X 1/4
 2. IDENTIFY BY PART NUMBER
- AF PREPARE ONE (1) BRACKET, REAR MARKER, P/N 347/10882, IN ACCORDANCE WITH THE STEPS BELOW:
1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 12 X 1/4
 2. IDENTIFY BY PART NUMBER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION

AG PREPARE ONE (1) GRAB HANDLE, B-POST, P/N 347/10908, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 18 X 1/4
2. IDENTIFY BY PART NUMBER

AH PREPARE ONE (1) GRAB HANDLE, B-POST, P/N 347/10910, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 18 X 1/4
2. IDENTIFY BY PART NUMBER:

AI PREPARE ONE (1) HINGE, CAB DOOR TOP, LH, P/N 347/10922, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4
2. IDENTIFY BY PART NUMBER

AJ PREPARE ONE (1) HINGE, CAB DOOR TOP, RH, P/N 347/10924, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4
3. IDENTIFY BY PART NUMBER

AK PREPARE ONE (1) BRACKET, REAR MARKER, P/N 347/10938, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4
2. IDENTIFY BY PART NUMBER

AL PREPARE TWO (2) BRACKET, GAS STRUT, P/N 347/10945, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4 (FOR EACH)
2. IDENTIFY BY PART NUMBER

AM PREPARE ONE (1) MOUNTING, FRONT UPPER, LH, P/N 347/11016, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 12 X 1/4
2. IDENTIFY BY PART NUMBER

AN PREPARE ONE (1) MOUNTING, FRONT UPPER, RH, P/N 347/11017, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 12 X 1/4
3. IDENTIFY BY PART NUMBER

AO PREPARE ONE (1) MOUNTING, FRONT LOWER, LH, P/N 347/11018, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4
4. IDENTIFY BY PART NUMBER

AP PREPARE ONE (1) MOUNTING, FRONT LOWER, RH, P/N 347/11019, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4
5. IDENTIFY BY PART NUMBER

AQ PREPARE ONE (1) FRONT UPPER ACCES PANEL, P/N 347/11058, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 60 X 24 X 1/4 (CUSHIONING FROM APU)
2. IDENTIFY BY PART NUMBER

AR PREPARE ONE (1) REAR WIPER COVER, P/N 347/21285, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 24 X 24 X 1/4
2. IDENTIFY BY PART NUMBER

AS PREPARE ONE (1) MOTOR, WIPER, P/N 347/21995, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 18 X 12 X 1/4
1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

AT PREPARE ONE (1) BLOCK SPACER, P/N 347/22030, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4
2. IDENTIFY BY PART NUMBER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION

AU PREPARE THREE (3) LIGHT, FRONT MARKER, P/N 347/23341, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4
2. IDENTIFY BY PART NUMBER

AV PREPARE THREE (3) LIGHT, REAR MARKER, P/N 347/23342, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 6 X 6 X 1/4
2. IDENTIFY BY PART NUMBER

AW PREPARE ONE (1) BOLT, P/N 347/23572, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

AX PREPARE ONE (1) BRACKET, MARKER MOUNT, P/N 347/23597, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4
2. IDENTIFY BY PART NUMBER

AY PREPARE ONE (1) HINGE LOWER, P/N 347/23597, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4
2. IDENTIFY BY PART NUMBER

AZ PREPARE ONE (1) BRACKET, MARKER MOUNT, P/N 347/23716, IN ACCORDANCE WITH THE STEPS BELOW:

1. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 24 X 12 X 1/4
2. IDENTIFY BY PART NUMBER

BA. PREPARE SEVENTY TWO (72) PLUG, P/N 347/23818, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 5 X 7. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BB. PREPARE ONE (1) SEAL, P/N 347/23820, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BC. PREPARE ONE (1) SEAL, LH SIDE, P/N 347/23820, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BD. PREPARE ONE (1) SEAL, RH SIDE, P/N 347/23821, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BE. PREPARE ONE (1) SEAL, LH REAR, P/N 347/23822, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BF. PREPARE ONE (1) SEAL, RH REAR P/N 347/23823, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 12 X 12. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BG. PREPARE FIFTEEN (15) WASHER, P/N 347/23974, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

BH. PREPARE ONE (1) GASKET, PANEL, FRONT UPPER, P/N 347/24011, IN ACCORDANCE WITH THE STEPS BELOW:

1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 8 X 10. CLOSE BAG BY HEAT SEALING
2. IDENTIFY BY PART NUMBER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

- BI. PREPARE ONE (1) BUSH HINGE, P/N 476/10132, IN ACCORDANCE WITH THE STEPS BELOW:
 2. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 12 X 12 X 1/4
 2. IDENTIFY BY PART NUMBER
- BJ. PREPARE ONE (1) WIPER BLADE, P/N 714/03700, IN ACCORDANCE WITH THE STEPS BELOW:
 2. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 18 X 6 X 1/4
 2. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 24. CLOSE BAG BY HEAT SEALING
 3. IDENTIFY BY PART NUMBER
- BK. PREPARE ONE (1) ARM, WIPER, P/N 714/17800, IN ACCORDANCE WITH THE STEPS BELOW:
 2. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 24 X 6 X 1/4
 2. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 28. CLOSE BAG BY HEAT SEALING
 3. IDENTIFY BY PART NUMBER
- BL. PREPARE ONE (1) JET WINDSCREEN WASHER, P/N 714/17801, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- BM. PREPARE ONE (1) WIPER BLADE, P/N 714/17900, IN ACCORDANCE WITH THE STEPS BELOW:
 2. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 24 X 6 X 1/4
 2. BAG: MIL-DTL-117, TY III, CLASS B, STYLE SIZE 3 X 28. CLOSE BAG BY HEAT SEALING
 3. IDENTIFY BY PART NUMBER
- BN. PREPARE ONE (1) WIPER ARM, P/N 714/34800, IN ACCORDANCE WITH THE STEPS BELOW:
 2. CUSHIONING:A-A-59135, CL I, GR A, SIZE: 18 X 6 X 1/4
 2. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 24. CLOSE BAG BY HEAT SEALING
 3. IDENTIFY BY PART NUMBER
- BO. PREPARE TWO (2) WASHER FIBRE, P/N 823/00317, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- BP. PREPARE TEN (10) WASHER, P/N 823/00322, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- BQ. PREPARE ONE (1) WASHER, P/N 823/00588D, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- BR. PREPARE TWELVE (12) WASHER, P/N 823/00592, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- BS. PREPARE EIGHT (8) SCREW, P/N 826/01487, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 3 X 5. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER
- BT. PREPARE TWENTY FOUR (24) NUT RIVET, P/N 826/01794, IN ACCORDANCE WITH THE STEPS BELOW:
 1. BAG: MIL-DTL-117, TY III, CLASS B, STYLE 2, SIZE 4 X 6. CLOSE BAG BY HEAT SEALING
 2. IDENTIFY BY PART NUMBER.
- BU. PREPARE ONE (1) GLASS, REAR, SLIDING, P/N 347/23187, IN ACCORDANCE WITH THE STEPS BELOW:
 1. CUSHIONING: A-A-59135, CL I, GR A, SIZE: 36 X 96 X 1/4. WRAP ENTIRELY AND PLACE INTO CONTAINER
 2. CONTAINER: ASTM-D5118, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 41-1/2 X 33 X 3
 3. IDENTIFY BY PART NUMBER

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)Form Approved **-BK**
OMB No. 0704-0188 **JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE

347/00560 (OJKF0) HMEE-1 B-KIT

2. CAGE

19207

3. SPI NO.

AK15659262

4. NATIONAL STOCK NO.

2540-01-565-9262

5. DATE

6/10/09

6. REVISION**BV. CONSOLIDATE ITEMS FROM NOTES A – BU IN ACCORDANCE WITH THE STEPS BELOW:**

1. CONTAINER: USE THE "HARDWARE, BATTENS, AND MICS INSTALL" CONTAINER FROM THE B-KIT ONCE B-KIT COMPONENTS HAVE BEEN UNPACKED.
2. IDENTIFY AS "MISC A-KIT COMPONENTS."

BW. THE SIX PIECES OF LOOSE GLASS (P/N 332/C4986, P/N 332/C5050, P/N 347/23182, P/N 347/23183, P/N 347/23184, AND P/N 347/23185) REMOVED FROM THE A-KIT ARE PACKAGED AS FOLLOWS.

1. CONTAINER: ASTM-5188, ST RSC, TY CF, CL WR, VR SW, GR W5C, SIZE: 338 X 14 X 18
2. CUSHIONING: A-A-59136, CLASS 1, GRADE A, TYPE III, THICKNESS: 2.0 INCHES. (SEE DIAGRAM'S PAGE 105 FOR PLACEMENT, ORIENTATION, AND SIZES)
3. IDENTIFY BY PART NUMBER

BX. PREPARE ONE (1) DOOR ASSY, LH, ABI, P/N 347/00752, IN ACCORDANCE WITH THE STEPS BELOW:

1. CONTAINER: ASTM-D5118, ST TD, TY CF, CL WR, VR SW, GR W5C, SIZE: 55-1/2 X 36 X 7-1/2
2. BLOCKING: ASTM - D5118, ST RSC, TY CF, CL D, GR 350 DW, SIZE: 35 X 6 X 4 (TWO PCS)
3. PLACEMENT: DOOR ASSEMBLY IS TO BE PLACED INTO CONTAINER WITH CAB INTERIOR SIDE FACING DOWN. (SEE PAGE 106)
4. IDENTIFY BY PART NUMBER

BY. PREPARE ONE (1) DOOR ASSY, RH, ABI, P/N 347/00753, IN ACCORDANCE WITH THE STEPS BELOW:

1. CONTAINER: ASTM-D5118, ST TD, TY CF, CL WR, VR SW, GR W5C, SIZE: 55-1/2 X 36 X 7-1/2
2. BLOCKING: ASTM - D5118, ST RSC, TY CF, CL D, GR 350 DW, SIZE: 35 X 6 X 4 (TWO PCS)
3. PLACEMENT: DOOR ASSEMBLY IS TO BE PLACED INTO CONTAINER WITH CAB INTERIOR SIDE FACING DOWN. (SEE PAGE 106)
4. IDENTIFY BY PART NUMBER

BZ. CONTAINER FROM NOTE BV AND ITEMS FROM NOTE BW-BY ARE TO BE PLACED BACK INTO B-KIT CONTAINER FOR STORAGE FOR LATER POSSIBLE CONVERSION BACK TO A-KIT.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)


Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION


**CONTAINER CONSOLIDATION FROM NOTE BW, SIX PIECES OF LOOSE GLASS
(ISO VIEW, 4 STRAIGHT PIECES, P/N 347/23182, P/N 347/23183, P/N 347/23184, P/N 347/23185)**

ITEM F FROM PAGE 92. 2 OUTSIDE
PIECES ARE NOTCHED 1/8 X 16 X 1
TO ACCOMODATE GLASS PIECES.
THE CENTER PIECE IS NOTCHED
1/8 X 16 X 2 INCHES TO
ACCOMODATE GLASS PIECES.



**CONTAINER CONSOLIDATION FROM NOTE BW, SIX PIECES OF LOOSE GLASS
(ISO VIEW, CURVED GLASS, P/N 332/C4986, P/N 332/C5050)**

ITEM G FROM PAGE 92. ALL 4 ARE
NOTCHED 1/4" WIDE BY 1" DEEP
ALONG THE LENGTH TO
ACCOMMODATE GLASS PIECES.




SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -BK
OMB No. 0704-0188 JS

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 347/00560 (OJKF0) HMEE-1 B-KIT	2. CAGE 19207	3. SPI NO. AK15659262
4. NATIONAL STOCK NO. 2540-01-565-9262	5. DATE 6/10/09	6. REVISION

**CONTAINER CONSOLIDATION FROM NOTE BX, DOOR ASSY
(ISO VIEW)**



NOTE: PACKAGING FOR NOTE BY IS IDENTICAL TO THAT OF NOTE BX.