

# SPECIAL PACKAGING INSTRUCTION

Form Approved  
OMB No. 0704-0188

-BR

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE <b>10947439 (19207) REGULATOR, VOLTAGE</b>			2. CODE IDENT <b>19207</b>		3. SPI NO. <b>AK09007993</b>	
4. NATIONAL STOCK NUMBER <b>2920-00-900-7993</b>			5. DATE OF DRAWING <b>4-6-10</b>		6. REVISION <b>H</b>	
7. QUP <b>1 EA.</b>	8. ICQ <b>4</b>	9. UNIT PACK WT. (LB) <b>9.3</b>	10. UNIT PACK CU (CU FT) <b>0.279</b>		11. UNIT PACK SIZE (INCHES) <b>10.3 X 7.8 X 6.0</b>	
12. MILITARY PRESERVATION (METHOD) <b>MIL-STD-2073-1D, METHOD 32</b>			18. STEPS <b>1-B</b>	19. REQ'D <b>1</b>	20. DESCRIPTION <b>WRAP: MIL-P-17667, TY II, SIZE: 15 X 25</b>	
13. CLEANING <b>MIL-STD-2073-1D</b>						
14. DRYING <b>MIL-STD-2073-1D</b>			<b>2-C</b>	<b>3</b>	<b>CUSHIONING: ASTM-D 4727, TY CF, CL DOM, VARIETY SW, GR 275</b>	
15. PACKING			<b>3-D</b>	<b>1</b>	<b>CONTAINER: ASTM-D 5118, TY CF, CL DOM, GR 275, ST RSC, SIZE: 9-7/8 X 7-1/4 X 5</b>	
a. LEVEL A <b>MIL-STD-2073-1D AND NOTE F</b>			<b>4-E</b>	<b>1</b>	<b>BAG: MIL-DTL-117, TY III, CL B, ST 2, SIZE: 14 X 18</b>	
b. LEVEL B <b>MIL-STD-2073-1D AND NOTE F</b>						
16. MARKING <b>MIL-STD-129</b>						

17. NOTES / DRAWING

A. INSPECT THE PRESERVATION AND UNIT PACK IN ACCORDANCE WITH MIL-STD-2073-1D.

B. TIGHTLY WRAP PART AND SECURE USING TAPE.

C. FOR FABRICATION AND PLACEMENT OF CUSHIONING SEE PAGES 2 AND 3.

D. CONTAINER CLOSURE SHALL BE IN ACCORDANCE WITH ASTM-D 1974, METHOD 2B3.

E. PLACE PREPARED PART AND CONTAINER IN BAG AND CLOSE BY HEAT SEALING.

F. PACKING:

LEVEL A PACKING SHALL BE ACCOMPLISHED USING WOOD-CLEATED PANELBOARD SHIPPING BOXES, CONFORMING TO ASTM-D 6251, TYPE III, CLASS 2 OR NAILED WOOD BOXES CONFORMING TO ASTM-D 6880, CLASS 2.

LEVEL B PACKING SHALL BE ACCOMPLISHED USING FIBERBOARD BOXES, WEATHER RESISTANT, CONFORMING TO ASTM-D 5118 OR TRIPLEWALL, CORRUGATED FIBERBOARD BOXES, CLASS 2, CONFORMING TO ASTM-D 5168. CLOSURE, SEALING, AND REINFORCEMENT SHALL BE IAW SPECIFIC, APPLICABLE METHODS OF ASTM-D 1974, OR AS REFERENCED IN THE CONTAINER SPECIFICATION.

WHEN THE TOTAL QUANTITY TO BE SHIPPED TO THE SAME DESTINATION EXCEEDS 125 POUNDS, EXTERIOR PACKS WITHOUT SKIDS SHALL BE PALLETIZED IN ACCORDANCE WITH MIL-STD-147.

# SPECIAL PACKAGING INSTRUCTION

Form Approved  
OMB No. 0704-0188




-BR

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 10947439 (19207) REGULATOR, VOLTAGE	2. CODE IDENT 19207	3. SPI NO. AK09007993
4. NATIONAL STOCK NUMBER 2920-00-900-7993	5. DATE OF DRAWING 4-6-10	6. REVISION H

17. NOTES / DRAWING

ALL DIMENSIONS ARE IN INCHES. S = CREASE LINE.



# SPECIAL PACKAGING INSTRUCTION

Form Approved  
OMB No. 0704-0188

-BR

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 10947439 (19207) REGULATOR, VOLTAGE	2. CODE IDENT 19207	3. SPI NO. AK09007993
4. NATIONAL STOCK NUMBER 2920-00-900-7993	5. DATE OF DRAWING 4-6-10	6. REVISION H

17. NOTES / DRAWING

