

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA			2. CODE IDENT 19207		3. SPI NO. AK13006502	
4. NATIONAL STOCK NUMBER 2540-01-300-6502			5. DATE OF DRAWING 08/05/2010		6. REVISION B	
7. QUP 1 EA	8. ICQ NONE	9. UNIT PACK WT. (LB) SEE NOTE B	10. UNIT PACK CU (CU FT) SEE NOTE B		11. UNIT PACK SIZE (INCHES) SEE NOTE B	
12. MILITARY PRESERVATION (METHOD) MIL-STD-2073-1D, SEE BLOCK 17			18. STEPS	19. REQ'D	20. DESCRIPTION SEE NOTES	
13. CLEANING MIL-STD-2073-1D						
14. DRYING MIL-STD-2073-1D						
15. PACKING						
a. LEVEL A MIL-STD-2073-1D AND NOTE AM						
b. LEVEL B MIL-STD-2073-1D AND NOTE AM						
16. MARKING MIL-STD-129 AND NOTE D						

17. NOTES / DRAWING

A. THIS FORDING KIT, DEEP WA, AS IT IS SHOWN ON REVISION B OF DRAWING 12345984, CONSISTS OF 54 ITEMS CONSOLIDATED INTO 52 SEGREGATED PACKAGES AS FOLLOWS:

SEGREGATED PACKAGE	PART NUMBER	CAGE	NOMENCLATURE	QTY.	METHOD OF PRESERVATION
1	M83248/1-281	81349	PACKING	5	10
2	12346036-1	19207	CLAMP	1	10
3	12346036-2	19207	CLAMP	1	10
4	12346036-3	19207	CLAMP	1	10
5	-----	-----	-----	-----	-----
	12345978	19207	EXHAUST TOWER	1	10
	12345977	19207	INTAKE TOWER	1	10
	12345979	19207	INTAKE TOWER	1	10
6	12345986-1	19207	T-BAR	1	10
7	12345986-2	19207	T-BAR	1	10
8	12345986-3	19207	T-BAR	1	10
9	12346052	19207	LANYARD	1	10
10	12346053	19207	LANYARD	1	10
11	12346038	19207	EXHAUST PLENUM	1	10
12	12346055	19207	SEAL	1	10
13	12346047	19207	SCREW	27	33
14	12346048	19207	NUT	27	33

SPECIAL PACKAGING INSTRUCTION

Form Approved -CC
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE <p style="text-align: center;">12345984 (19207) FORDING KIT, WA</p>	2. CODE IDENT <p style="text-align: center;">19207</p>	3. SPI NO. <p style="text-align: center;">AK13006502</p>
4. NATIONAL STOCK NUMBER <p style="text-align: center;">2540-01-300-6502</p>	5. DATE OF DRAWING <p style="text-align: center;">08/05/2010</p>	6. REVISION <p style="text-align: center;">B</p>

SEGREGATED PACKAGE	PART NUMBER	CAGE	NOMENCLATURE	QTY.	METHOD OF PRESERVATION
15	B1822PH100N	80204	WASHER	27	31
16	12345980	19207	SEAL	1	10
17	12345989	19207	PLUG ASSEMBLY	1	10
18	12346096	19207	LANYARD	1	10
19	7758297	19207	CLIP, RETAINING	1	10
20	12346004	19207	DOOR ASSEMBLY	1	10
21	B18231A10040NF	80204	SCREW	6	10
22	12346106	19207	MAGNET ASSEMBLY	1	10
23	MS53075-1	96906	CAP, FUEL	4	10
24	12288339	19207	FILL CAP	2	10
25	12346087-1	19207	HOSE, VENT	1	10
26	12346087-2	19207	HOSE, VENT	1	10
27	12346087-3	19207	HOSE, VENT	1	10
28	12346088	19207	TEE, VENT HOSE	1	10
29	12337107	19207	CLOSURE ASSY	1	10
30	12529519	19206	CAP	1	10
31	A-A-1586	58536	TAPE, PRESSURE	*	10
32	MIL-S-8660	81349	SILICONE COMPOUND	**	10
33	MS20995F47	96906	WIRE	***	10
34	12346097	19207	LANYARD ASSEMBLY	1	33
35	12346110	19207	SNAP, HOOK	2	10
36	12346091	19207	LANYARD	1	10
37	12346144	19207	CHECK OFF LIST	1	10
38	7752865	19207	CLIP, RETAINING	1	10
39	12346058	19207	HOSE	1	10
40	12346049-2	19207	CLAMP	2	10
41	12345981	19207	ELBOW ASSEMBLY	1	10
42	M83248/1-275	81349	PACKING	2	10
43	12346059	19207	HOSE	1	10
44	12346049-1	19207	CLAMP	2	10
45	12345982	19207	ELBOW	1	10
46	12346037	19207	SPACER	2	10
47	M83248/1-268	81349	PACKING	2	10
48	12346060	19207	PRECLEANER ASSEMBLY	1	10
49	12345987	19207	PLATE	1	10
50	MS29513-048	96906	PACKING	1	10
51	12346071	19207	PLUG ASSEMBLY	3	10
52	12472794	19207	PLUG ASSEMBLY	1	10

* - REPRESENTS 1 ROLL, 4 INCHES WIDE.
 ** - REPRESENTS 2 - 8 OZ. TUBES.
 *** - REPRESENTS 1 - 1 LB. ROLL.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

B. THE UNIT PACK CONSISTS OF FOUR CONTAINERS. SIZES, WEIGHTS, AND CUBES ARE AS FOLLOWS:

	<u>UNIT PACK WT.</u>	<u>UNIT PACK CUBE</u>	<u>UNIT PACK SIZE</u>
CONTAINER 1 (NOTE J)	253.0 LBS.	29.489 CU. FT.	76.0 X 28.9 X 23.2
CONTAINER 2 (NOTE R)	187.0 LBS.	21.875 CU. FT.	36.0 X 35.0 X 30.0
CONTAINER 3 (NOTE AE)	167.0 LBS.	14.137 CU. FT.	33.0 X 31.5 X 23.5
CONTAINER 4 (NOTE AL)	166.0 LBS.	23.095 CU. FT.	51.3 X 37.4 X 20.8
TOTAL	773.0 LBS.	125.803 CU. FT.	113.4 X 63.9 X 30.0

C. MARKING.

1. MARK CONTAINER, ITEM 3A, WITH THE FOLLOWING: "EMPTY- USED AS FILLER ONLY".
2. MARK EACH SEGREGATED PACKAGE WITH THE SEGREGATED PACKAGE NUMBER.
3. THE SHIPPING CONTAINER FROM NOTE J SHALL HAVE THE FOLLOWING MARKING: "BOX 1 OF 4".
4. THE SHIPPING CONTAINER FROM NOTE R SHALL HAVE THE FOLLOWING MARKING: "BOX 2 OF 4".
5. THE SHIPPING CONTAINER FROM NOTE AE SHALL HAVE THE FOLLOWING MARKING: "BOX 3 OF 4".
6. THE SHIPPING CONTAINER FROM NOTE AL SHALL HAVE THE FOLLOWING MARKING: "BOX 4 OF 4".
7. IN UNIT CONTAINER 3, USING A GOOD GRADE OF WATERPROOF ADHESIVE, SECURE A SCHEMATIC DIAGRAM IN ACCORDANCE WITH THE EXAMPLE ON PAGE 16 TO THE INSIDE LID OF THE CONTAINER. APPLY WATERPROOFING MATERIALS, SUCH AS VARNISH OR PRESSURE-SENSITIVE TAPE , TO DIAGRAM ON INSIDE LID OF CONTAINER.
8. USING A GOOD GRADE OF WATERPROOF ADHESIVE, SECURE A LIST IN ACCORDANCE WITH THE EXAMPLES SHOWN ON PAGES 14 AND 15, TO THE INSIDE LID OF EACH UNIT CONTAINER. APPLY WATERPROOFING MATERIALS, SUCH AS VARNISH OR CLEAR WEATHER RESISTANT PRESSURE-SENSITIVE TAPE, TO LID ON INSIDE OF CONTAINER .

D. MARKING.

MARK UNIT CONTAINER IN ACCORDANCE WITH MIL-STD-129. IN ADDITION, ATTACH A PACKING LIST TO THE UNIT CONTAINER IN ACCORDANCE WITH MIL-STD-129. ON THE PACKING LIST IDENTIFY THE ITEMS WITHIN EACH SEGREGATED PACKAGE TOGETHER WITH THEIR SEGREGATED PACKAGE NUMBER.

E. REFER TO THE BILL OF MATERIALS FOR CIRCLED NUMBERS AND REFERENCED ITEM NUMBERS ON THE ACCOMPANYING PAGES.

F. M83248/1-281, PACKING, SEGREGATED PACKAGE 1, QUANTITY 5.

ALTERNATE THE PARTS BETWEEN THE STIFFENERS, ITEM 1A, QUANTITY 6, AND SECURE WITH TAPE IN SUCH A WAY THAT IT WILL NOT TOUCH OR EXERT PRESSURE THAT WOULD SUBJECT PARTS TO SET OR DISTORTION.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

G. PREPARE THE FOLLOWING PARTS AS DESCRIBED BELOW:

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>	<u>QTY.</u>	<u>WRAP</u>	<u>SEGREGATED PACKAGE</u>
12346036-1	CLAMP	1	2A	2
12346036-2	CLAMP	1	2B	3
12346036-3	CLAMP	1	2C	4
12346052	LANYARD	1	2D	9
12346053	LANYARD	1	2E	10
12345986-1	T-BAR	1	2F	6
12345986-2	T-BAR	1	2G	7
12345986-3	T-BAR	1	2H	8

WRAP EACH PART WITH THE SPECIFIED WRAP AND SECURE WITH TAPE. IN ADDITION, PARTS IN SEGREGATED PACKAGES 9 AND 10 MUST BE COILED BEFORE PLACING THEM IN THEIR SPECIFIED WRAP.

H. CONSOLIDATE PARTS FROM NOTE F AND G INTO CONTAINER, ITEM 3B.

I. PREPARE THE FOLLOWING PARTS TO FORM SEGREGATED PACKAGE 5 AS DESCRIBED BELOW:

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>	<u>QTY.</u>	<u>WRAP</u>
12345978	EXHAUST TOWER	1	4B
12345977	INTAKE TOWER	1	2I
12345979	INTAKE TOWER	1	2J

1. WRAP INTAKE TOWER, 12345977, WITH SPECIFIED WRAP AND SECURE WITH TAPE.
2. PLACE PREPARED INTAKE TOWER, 12345977, INSIDE OF INTAKE TOWER, 12345979. WRAP INTAKE TOWER, 12345979, WITH SPECIFIED WRAP AND SECURE WITH TAPE.
3. CLOSE CONTAINER, ITEM 3A, AND APPLY WRAP, ITEM 4A, TO CONTAINER AND SECURE WITH TAPE.
4. PLACE PREPARED PARTS FROM NOTE I.2 AND CONTAINER FROM NOTE I.3 INSIDE EXHAUST TOWER, 12345978. WRAP EXHAUST TOWER, 12345978, WITH SPECIFIED WRAP AND SECURE WITH TAPE.

J. CONSOLIDATE PARTS FROM NOTES H AND I AS DESCRIBED BELOW:

1. PLACE ONE PAD, ITEM 5, ON EACH END OF PREPARED EXHAUST TOWER, 12345978, FROM NOTE I.4. THEN LOWER PREPARED PART INTO CONTAINER, ITEM 10A, WITH BLOCKS, ITEM 6, UNDER HANDLES OF PART. SEE PAGE 19 FOR ILLUSTRATION.
2. PLACE CONSOLIDATED PARTS FROM NOTE H NEXT TO EXHAUST TOWER IN CONTAINER FROM NOTE J.1 PLACE CONTAINER INTO BAG, ITEM 7A, TO FORM A MIL-STD-2073-1D, METHOD IC-2 CONSOLIDATION PACK.
3. LINE THE INSIDE OF PLYWOOD BOX, ITEM 21A, WITH CORRUGATED FIBERBOARD, ITEMS 8A, 8B, AND 8C. PLACE CORRUGATED FIBERBOARD, ITEM 8A, AGAINST THE ENDS, ITEM 8B, AGAINST THE SIDES, AND ONE OF ITEM 8C, IN THE BOTTOM OF PLYWOOD BOX.
4. PLACE PREPARED CONTAINER FROM NOTE J.2 INTO LINED PLYWOOD BOX, AND COVER WITH CORRUGATED FIBERBOARD, ITEM 8C, BEFORE CLOSING PLYWOOD BOX.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

K. 12346055, SEAL, SEGREGATED PACKAGE 12, QUANTITY 1.

PLACE SEAL BETWEEN STIFFENERS, ITEM 1B, AND SECURE WITH TAPE IN SUCH A WAY THAT IT WILL NOT TOUCH OR EXERT PRESSURE THAT WOULD SUBJECT PART TO SET OR DISTORTION.

L. 12345980, SEAL, SEGREGATED PACKAGE 16, QUANTITY 1.

1. WRAP SEAL WITH WRAP, ITEM 4C, AND SECURE WITH TAPE.
2. PLACE PREPARED SEAL INTO CONTAINER, ITEM 11A.

M. 12346047, SCREW, SEGREGATED PACKAGE 13, QUANTITY 27.

1. APPLY PRESERVATIVE, ITEM 12.
2. PLACE PREPARED SCREWS IN BAG, ITEM 18A.

N. 12346048, NUT, SEGREGATED PACKAGE 14, QUANTITY 27.

1. APPLY PRESERVATIVE ITEM 12.
2. PLACE PREPARED NUTS IN BAG, ITEM 18B.

O. B1822PH100N, WASHER, SEGREGATED PACKAGE 15, QUANTITY 27.

PLACE WASHERS IN BAG, ITEM 7C.

P. CONSOLIDATE PARTS FROM NOTES M, N AND O INTO CONTAINER, ITEM 11B.

Q. 12346038, EXHAUST PLENUM, SEGREGATED PACKAGE 11, QUANTITY 1.

1. WRAP EXHAUST PLENUM WITH WRAP, ITEM 4D, AND SECURE WITH TAPE.
2. PLACE PAD, ITEM 13, IN THE BOTTOM OF CONTAINER, ITEM 10B. LOWER EXHAUST PLENUM INTO CONTAINER SO THAT IT SITS ON THE PAD AS ILLUSTRATED ON PAGE 19.

R. CONSOLIDATE ITEMS FROM NOTES K, L, P AND Q AS DESCRIBED BELOW:

1. PLACE CONTAINER FROM NOTE L ON TOP OF PREPARED SEAL FROM NOTE K.
2. PLACE CONTAINER FROM NOTE P ALONG THE LENGTH DIMENSION OF PARTS FROM NOTE R.1 AND SECURE WITH TAPE, ITEM 14. SEE ILLUSTRATION ON PAGE 20.
3. PLACE ITEMS FROM NOTE R.2 ON TOP OF CONTAINER FROM NOTE Q AND SECURE ALL ITEMS TO ONE ANOTHER WITH TAPE, ITEM 14. SEE ILLUSTRATION ON PAGE 20.
4. PLACE SECURED PARTS FROM NOTE R.3 INTO BAG, ITEM 7J, TO FORM A MIL-STD-2073-1D, METHOD IC-2 CONSOLIDATION PACK.
5. LINE INSIDE OF PLYWOOD BOX, ITEM 21B, WITH CORRUGATED FIBERBOARD, ITEMS 8D, AND 8E. PLACE CORRUGATED FIBERBOARD, ITEM 8D, AGAINST THE ENDS AND SIDES, AND ONE OF ITEM 8E, IN THE BOTTOM OF PLYWOOD BOX.
6. PLACE PREPARED CONTAINER FROM NOTE R.4 INTO LINED PLYWOOD BOX, AND COVER WITH CORRUGATED FIBERBOARD, ITEM 8E, BEFORE CLOSING PLYWOOD BOX.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

- S. 12345989, PLUG ASSEMBLY, SEGREGATED PACKAGE 17, QUANTITY 1.
 - 1. COIL PLUG ASSEMBLY AND WRAP WITH WRAP, ITEM 4E, AND SECURE WITH TAPE.
 - 2. PLACE PREPARED PLUG ASSEMBLY INTO CONTAINER, ITEM 17A.
- T. 12346097, LANYARD ASSEMBLY, SEGREGATED PACKAGE 34, QUANTITY 1.
 - 1. APPLY PRESERVATIVE, ITEM 9, TO LATCH, P/N 12346097-1, OF LANYARD ASSEMBLY.
 - 2. COIL PREPARED LANYARD ASSEMBLY AND PLACE IN BAG, ITEM 18B.
- U. 12346004, DOOR ASSEMBLY, SEGREGATED PACKAGE 20, QUANTITY 1.
 - 1. WITH THE DOOR ASSEMBLY IN THE FULLY OPEN POSITION, WRAP WITH WRAP, ITEM 4M, AND SECURE WITH TAPE.
 - 2. PLACE PREPARED DOOR ASSEMBLY INTO CONTAINER, ITEM 3D.
- V. MS53075-1, CAP, FUEL, SEGREGATED PACKAGE 23, QUANTITY 4.
 - 1. WRAP EACH CAP, FUEL WITH WRAP, ITEM 4F, AND SECURE WITH TAPE.
 - 2. PLACE THE TOTAL QUANTITY OF PREPARED PARTS INTO ONE CONTAINER, ITEM 19A.
- W. 12337107, CLOSURE ASSY, SEGREGATED PACKAGE 29, QUANTITY 1.
 - 1. WRAP THE CLOSURE ASSY WITH WRAP, ITEM 2K, AND SECURE WITH TAPE.
 - 2. PLACE THE PREPARED CLOSURE ASSY INTO CONTAINER, ITEM 19B.
- X. PREPARE THE FOLLOWING ITEMS AS DESCRIBED BELOW:

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>	<u>QTY.</u>	<u>BAG</u>	<u>SEGREGATED PACKAGE</u>
12346096	LANYARD	1	7B	18
7758297	CLIP, RETAINING	1	7D	19
B18231A10040NF	SCREW	6	7E	21
12288339	FILL CAP	2	7F	24
12346087-1	HOSE, VENT	1	7G	25
12346087-2	HOSE, VENT	1	7B	26
12346087-3	HOSE, VENT	1	7B	27
12346088	TEE, VENT HOSE	1	7D	28
12529519	CAP	1	7G	30
A-A-1586	TAPE, PRESSURE	*	7G	31
MIL-S-8660	SILICONE COMPOUND	**	7I	32
MS20995F47	WIRE, SAFETY OR LOCK	***	7B	33
12346110	SNAP, HOOK	2	7B	35
12346091	LANYARD	1	7B	36
7752865	CLIP, RETAINING	1	7H	38
12346049-2	CLAMP	2	7M	40
12346049-1	CLAMP	2	7N	44
12346037	SPACER	2	7E	46

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

PLACE THE TOTAL QUANTITY OF EACH PART INTO THE SPECIFIED BAG. CLOSE THE BAG BY TAPING, STAPLING OR HEAT SEALING. IN ADDITION, SEGREGATED PACKAGES (18, 25, 26, 27, AND 36) MUST BE COILED BEFORE PLACING THEM IN THEIR SPECIFIED BAG.

- * - REPRESENTS 1 ROLL, 4 INCHES WIDE.
- ** - REPRESENTS 2 - 8 OZ. TUBES.
- *** - REPRESENTS 1 - 1 LB. ROLL.

Y. PREPARE THE FOLLOWING PARTS AS DESCRIBED BELOW:

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>	<u>QTY.</u>	<u>STIFFENER</u>	<u>SEGREGATED PACKAGE</u>
M83248/1-275	PACKING	2	1C (3-REQD.)	42
M83248/1-268	PACKING	2	1D (3-REQD.)	47
12346144	CHECK OFF LIST	1	1E (2-REQD.)	37

ALTERNATE THE PARTS BETWEEN THE SPECIFIED NUMBER OF STIFFENERS AND SECURE WITH TAPE IN SUCH A WAY THAT IT WILL NOT TOUCH OR EXERT PRESSURE THAT WOULD SUBJECT PARTS TO SET OR DISTORTION.

Z. CONSOLIDATE PARTS FROM NOTES T, X, AND Y INTO CONTAINER, ITEM 19C.

AA. 12346106, MAGNET ASSEMBLY, SEGREGATED PACKAGE 22, QUANTITY 1.

1. COIL MAGNET ASSEMBLY, AND WRAP WITH WRAP, ITEM 4G, AND SECURE WITH TAPE.
2. PLACE PREPARED MAGNET ASSEMBLY, INTO CONTAINER, ITEM 17B.

AB. PREPARE THE FOLLOWING PARTS AS DESCRIBED BELOW:

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>	<u>QTY.</u>	<u>WRAP</u>	<u>SEGREGATED PACKAGE</u>
12346058	HOSE	1	4H	39
12346059	HOSE	1	4I	43

1. WRAP EACH PART WITH THE SPECIFIED WRAP AND SECURE WITH TAPE.
2. PLACE THE PREPARED HOSE (12346059) INSIDE OF THE PREPARED HOSE (12346058).
3. PLACE COMBINED PARTS FROM NOTE AB.2 INTO CONTAINER, ITEM 3C.

AC. 12345981, ELBOW ASSEMBLY, SEGREGATED PACKAGE 41, QUANTITY 1.

1. WRAP ELBOW ASSEMBLY WITH WRAP, ITEM 4J, AND SECURE WITH TAPE.
2. PLACE PREPARED ELBOW ASSEMBLY INTO CONTAINER, ITEM 10D.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

AD. 12345982, ELBOW, SEGREGATED PACKAGE 45, QUANTITY 1.

1. WRAP ELBOW WITH WRAP, ITEM 4K, AND SECURE WITH TAPE.
2. PLACE PREPARED ELBOW INTO CONTAINER, ITEM 10E.

AE. PREPARE THE FOLLOWING PARTS AS DESCRIBED BELOW:

1. CONSOLIDATE CONTAINERS FROM NOTES S, U, V, W, Z, AA, AB, AC, AND AD INTO CONTAINER, ITEM 10C. SEE ILLUSTRATION ON PAGE 20 FOR ORIENTATION OF CONTAINERS.
2. PLACE CONTAINER FROM NOTE AE.1 INTO BAG, ITEM 7K, TO FORM A MIL-P-116, METHOD IC-2 CONSOLIDATION PACK.
3. LINE INSIDE OF PLYWOOD BOX, ITEM 21C, WITH CORRUGATED FIBERBOARD, ITEMS 8F, 8G, AND 8H. PLACE CORRUGATED FIBERBOARD, ITEM 8F, AGAINST THE ENDS, ITEM 8G, AGAINST THE SIDES, AND ONE OF ITEM 8H, IN THE BOTTOM OF THE PLYWOOD BOX.
4. PLACE PREPARED CONTAINER FROM NOTE AE.2 INTO LINED PLYWOOD BOX, AND COVER WITH CORRUGATED FIBERBOARD, ITEM 8H, BEFORE CLOSING PLYWOOD BOX.

AF. 12345987, PLATE, SEGREGATED PACKAGE 49, QUANTITY 1.

WRAP PLATE WITH WRAP, ITEM 2L, AND SECURE WITH TAPE.

AG. 12346071, PLUG ASSEMBLY, SEGREGATED PACKAGE 51, QUANTITY 3.

WRAP EACH PLUG ASSEMBLY WITH WRAP, ITEM 2M, AND SECURE WITH TAPE.

AH. 12472794, PLUG ASSEMBLY, SEGREGATED PACKAGE 52, QUANTITY 1.

WRAP PLUG ASSEMBLY WITH WRAP, ITEM 2H, AND SECURE WITH TAPE.

AI. MS29513-048, PACKING, SEGREGATED PACKAGE 50, QUANTITY 1.

PLACE PACKING BETWEEN STIFFENERS, ITEM 22, AND SECURE WITH TAPE IN SUCH A WAY THAT IT WILL NOT TOUCH OR EXERT PRESSURE THAT WOULD SUBJECT PART TO SET OR DISTORTION.

AJ. CONSOLIDATE PARTS FROM NOTES AF, AG AH, AND AI INTO CONTAINER, ITEM 19D.

AK. 12346060, PRECLEANER ASSEMBLY, SEGREGATED PACKAGE 48, QUANTITY 1.

WRAP PRECLEANER ASSEMBLY WITH WRAP, ITEM 4L, AND SECURE WITH TAPE.

AL. CONSOLIDATE PARTS FROM NOTES AJ AND AK AS FOLLOWS:

1. PLACE SEGREGATED PACKAGE 48 FROM NOTE AK AND CONSOLIDATED CONTAINER FROM NOTE AJ INTO CONTAINER, ITEM 10F.
2. PLACE CONTAINER FROM NOTE AL.1 INTO BAG, ITEM 7L, TO FORM A MIL-STD-2073-1D, METHOD IC-2 CONSOLIDATION PACK.
3. LINE INSIDE OF PLYWOOD BOX, ITEM 21D, WITH CORRUGATED FIBERBOARD, ITEMS 8I, 8J AND 8K. PLACE CORRUGATED FIBERBOARD, ITEM 8I, AGAINST THE ENDS, ITEM 8J, AGAINST THE SIDES, AND ONE OF ITEM 8K, IN THE BOTTOM OF THE PLYWOOD BOX.

SPECIAL PACKAGING INSTRUCTION

Form Approved -CC
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

4. PLACE PREPARED CONTAINER FROM NOTE AL.2 INTO LINED PLYWOOD BOX, AND COVER WITH CORRUGATED FIBERBOARD, ITEM 8K, BEFORE CLOSING THE PLYWOOD BOX.
- AM. THE UNIT CONTAINERS ARE ACCEPTABLE LEVEL A AND LEVEL B SHIPPING CONTAINERS.
- AN. INSPECT THE PRESERVATION (SEE NOTE A), THE SEGREGATED PACKAGES, CONSOLIDATION PACKS, UNIT PACK AND PACKING IN ACCORDANCE WITH MIL-STD-2073-1D AND THE APPLICABLE CONTAINER SPECIFICATION.

BILL OF MATERIALS

ITEM NUMBER	DESCRIPTION	SIZE	SPECIFICATION DATA	QTY.
1	STIFFENER		ASTM-D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200	
1A		15-1/2 X 15-1/2		6
1B		31-1/2 X 21		2
1C		11 X 11		3
1D		9 X 9		3
1E		11-1/2 X 9		2
2	WRAP		A-A-59135, CLASS 1, GRADE A.	
2A		30 X 17 X 1/4		1
2B		36 X 19 X 1/4		1
2C		46 X 26 X 1/4		1
2D		17 X 17 X 1/4		1
2E		18 X 18 X 1/4		1
2F		7 X 6 X 1/4		1
2G		8 X 7 X 1/4		1
2H		10 X 8 X 1/4		2
2I		60 X 52 X 1/4		1
2J		52 X 52 X 1/4		1
2K		13 X 8 X 1/4		1
2L		14 X 10 X 1/4		1
2M		24 X 13 X 1/4		1
3	CONTAINER		ASTM-D5118, TYPE CF, CLASS D, VARIETY SW, GRADE 350, STYLE RSC.	
3A		8 X 8 X 27		1

SPECIAL PACKAGING INSTRUCTION

Form Approved -CC
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

BILL OF MATERIALS

ITEM NUMBER	DESCRIPTION	SIZE	SPECIFICATION DATA	QTY.	
3B	WRAP	38-5/8 X 16 X 3-7/8	A-A-3174, POLYETHYLENE, THICKNESS 4 MIL.	1	
3C		10-3/4 X 10-3/4 X 18-3/4		1	
3D		19 X 11-1/8 X 3-3/4		1	
4					
4A		41 X 35		1	
4B		90 X 79		1	
4C		49 X 34		1	
4D		100 X 58		1	
4E		16 X 9		1	
4F		15 X 8		4	
4G		18 X 13		1	
4H		43 X 28		1	
4I		35 X 28		1	
4J		55 X 29		1	
4K		47 X 26		1	
4L	96 X 64	1			
4M	32 X 25	1			
5	PAD	SEE PAGE 17	ASTM-D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200.	2	
6	BLOCK	SEE PAGE 18	ASTM-D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200.	2	
7	BAG		MIL-DTL-117, TYPE II, CLASS C.		
7A		46 X 98		1	
7B		6 X 8		6	
7C		3 X 5		1	
7D		2-1/2 X 3		2	
7E		4 X 6		2	
7F		6 X 6		1	

SPECIAL PACKAGING INSTRUCTION

Form Approved -CC
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

BILL OF MATERIALS

ITEM NUMBER	DESCRIPTION	SIZE	SPECIFICATION DATA	QTY.	
7G	CORRUGATED FIBERBOARD	10 X 12	ASTM-D4727, TYPE CF, CLASS D, VARIETY SW, GRADE 200.	3	
7H		2-1/2 X 6		1	
7I		8 X 12		1	
7J		58 X 60		1	
7K		48 X 50		1	
7L		52 X 68		1	
7M		12 X 16		1	
7N		12 X 12		1	
8					
8A		25 X 18		2	
8B		73-1/8 X 18		2	
8C		73-1/8 X 25		2	
8D		32-1/8 X 24-7/8		4	
8E		32-1/8 X 32-1/8		2	
8F	27-5/8 X 18-3/8	2			
8G	30-1/8 X 18-3/8	2			
8H	30-1/8 X 27-5/8	2			
8I	33-1/2 X 15-5/8	2			
8J	48-3/8 X 15-5/8	2			
8K	48-3/8 X 33-1/2	2			
9	PRESERVATIVE CONTAINER		MIL-PRF-3150.	A/R	
10			ASTM-D5118, TYPE CF, CLASS D, STYLE RSC, VARIETY DW, GRADE 600.		
10A		72-1/8 X 23-3/4 X 16-7/8	1		
10B		31-1/8 X 30-1/2 X 20-5/8	1		
10C		28-3/4 X 26-1/2 X 16-1/2	1		

SPECIAL PACKAGING INSTRUCTION

Form Approved -CC
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

BILL OF MATERIALS

ITEM NUMBER	DESCRIPTION	SIZE	SPECIFICATION DATA	QTY.
10D		15 X 13-5/8 X 13		1
10E		14 X 11-7/8 X 11		1
10F		47-3/4 X 32-1/2 X 14-1/2		1
11	CONTAINER		ASTM-D5118, TYPE CF, CLASS D, STYLE OPF, VARIETY SW, GRADE 275.	
11A		30-1/4 X 21-1/4 X 2-3/8		1
11B		5 X 3-1/4 X 2-3/8		1
12	PRESERVATIVE		MIL-PRF-32033	A/R
13	PAD	30 X 19-1/2 X 1-1/2	ASTM-D4727, TYPE CF, CLASS D, SEE PAGE 19.	1
14	TAPE	3/4 X A/R	ASTM-D5330, TYPE IV.	A/R
15	HINGE		A-A-55587-26	13
16	HASP		ANSI/BHMA A156.20 3" HASP SIZE	9
17	CONTAINER		ASTM-D5118, TYPE CF, CLASS D, STYLE FPF, VARIETY SW, GRADE 275.	
17A		5-3/4 X 1-3/8 X 6-1/2		1
17B		6 X 2 X 10-3/4		1
18	BAG		MIL-DTL-117, TYPE II, CLASS C.	
18A		8 X 10		1
18B		4 X 6		2
19	CONTAINER		ASTM-D5118, TYPE CF, CLASS D, STYLE RSC, VARIETY SW, GRADE 275.	
19A		7-1/4 X 4-3/4 X 4-3/4		1
19B		4 X 3 X 5-1/4		1
19C		11-1/4 X 11-1/4 X 8		1
19D		21-1/2 X 8-1/8 X 4-1/2		1

SPECIAL PACKAGING INSTRUCTION

Form Approved -CC
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

BILL OF MATERIALS

ITEM NUMBER	DESCRIPTION	SIZE	SPECIFICATION DATA	QTY.
20	SCREW		MS35494-56.	141
*21	PLYWOOD BOX		ASTM-D6251, TYPE III, STYLE I, CLASS 2.	
21A		73-1/2 X 25-3/8 X 18-3/8		1
21B		32-1/2 X 32-1/2 X 25-1/4		1
21C		30-1/2 X 28 X 18-3/4		1
21D		48-3/4 X 33-7/8 X 16		1
22	STIFFENER	5-1/2 X 5-1/2 X .040	ASTM-D4727, TYPE SF, CLASS D.	2

* USE PLYWOOD HAVING A THICKNESS OF 1/2 INCH FOR SIDES, TOP AND BOTTOM OF CONTAINERS. ALSO, IN ADDITION TO CLOSURE REQUIREMENTS OF ASTM-D6251, TOP OF CONTAINER IS ATTACHED TO ONE SIDE OF CONTAINER WITH HINGES, ITEM 15, EQUALLY SPACED ALONG ITS LENGTH, (SEE TABLE BELOW FOR QUANTITY). HASPS, ITEM 16, ARE ATTACHED, EQUALLY SPACED, TO THE TOP AND SIDE OPPOSITE THE HINGES, (SEE TABLE BELOW FOR QUANTITY). DO NOT USE SCREWS SUPPLIED WITH HINGES AND HASPS. HINGES AND HASPS SHALL BE ATTACHED TO CONTAINER WITH SCREWS, ITEM 20.

<u>CONTAINER</u> (ITEM NUMBER)	<u>HINGE</u> (ITEM NUMBER 15)	<u>HASP</u> (ITEM NUMBER 16)
21A	4	3
21B	3	2
21C	3	2
21D	3	2

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

CONTAINER 1 CONTAINS THE FOLLOWING:

PART NUMBER

M83248/1-281
12346036-1
12346036-2
12346036-3
12345978
12345977
12345979
12345986-1
12345986-2
12345986-3
12346052
12346053

NOMENCLATURE

PACKING
CLAMP
CLAMP
CLAMP
EXHAUST TOWER
INTAKE TOWER
INTAKE TOWER
T-BAR
T-BAR
T-BAR
LANYARD
LANYARD

CONTAINER 2 CONTAINS THE FOLLOWING:

PART NUMBER

12345980
12346038
12346055
12346047
12346048
B1822PH100N

NOMENCLATURE

SEAL
EXHAUST PLENUM
SEAL
SCREW
NUT
WASHER

CONTAINER 3 CONTAINS THE FOLLOWING:

PART NUMBER

12345989
12346096
7758297
12346004
B18231A10040NF
12346106
MS53075-1
12288339

NOMENCLATURE

PLUG ASSEMBLY
LANYARD
CLIP, RETAINING
DOOR ASSEMBLY
SCREW
MAGNET ASSEMBLY
CAP, FUEL
FILL CAP

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

CONTAINER 3 (CONTINUED)

PART NUMBER

12346087-1
12346087-2
12346087-3
12346088
12337107
12529519
A-A-1586
MIL-S-8660
MS20995F47
12346097
12346110
12346091
7752865
12346058
12346049-2
12345981
M83248/1-275
12346059
12346049-1
12345982
12346037
M83248/1-268
12346144
*12346140

NOMENCLATURE

HOSE, VENT
HOSE, VENT
HOSE, VENT
TEE, VENT HOSE
CLOSURE ASSY
CAP
TAPE, PRESSURE
SILICONE COMPOUND
WIRE, SAFETY OR LOCK
LANYARD ASSEMBLY
SNAP, HOOK
LANYARD
CLIP, RETAINING
HOSE
CLAMP
ELBOW ASSEMBLY
PACKING
HOSE
CLAMP
ELBOW
SPACER
PACKING
CHECK OFF LIST
INSTALLATION INSTRUCTIONS

CONTAINER 4 CONTAINS THE FOLLOWING:

PART NUMBER

12346060
12345987
MS29513-048
12346071
12472794

NOMENCLATURE

PRECLEANER ASSEMBLY
PLATE
PACKING
PLUG ASSEMBLY
PLUG ASSEMBLY

*NOTE: 12346140 INSTALLATION INSTRUCTIONS ARE FURNISHED BY THE GOVERNEMENT TO THE KIT MANUFACTURER AND/OR INSTALLERS.

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B


BOX 3 OF 4

PART NUMBER NOMENCLATURE
12345981 ELBOW ASSEMBLY

PART NUMBER NOMENCLATURE
12346106 MAGNET ASSEMBLY

PART NUMBER NOMENCLATURE
12346004 DOOR ASSEMBLY

PART NUMBER NOMENCLATURE
MS53075-1 CAP, FUEL



PART NUMBER NOMENCLATURE
12345982 ELBOW

PART NUMBER NOMENCLATURE
12346058 HOSE
12346059 HOSE

PART NUMBER NOMENCLATURE
12337107 CLOSURE ASSY

PART NUMBER NOMENCLATURE
12345989 PLUG ASSEMBLY

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>
12346140	INSTALLATON
12346096	LANYARD
7758297	CLIP, RETAINING
B18231A10040NF	SCREW
12288339	FILL CAP
12346087-1	HOSE, VENT
12346087-2	HOSE, VENT
12346087-3	HOSE, VENT
12346088	TEE, VENT HOSE
12529519	CAP
A-A-1586	TAPE PRESSURE
MIL-S-8660	SILICONE COMPOUND

<u>PART NUMBER</u>	<u>NOMENCLATURE</u>
12346144	CHECK OFF LIST
MS20995F47	WIRE, SAFETY OR LOCK
12346110	SNAP, HOOK
12346091	LANYARD
7752865	CLIP, RETAINING
12346049-2	CLAMP
12346049-1	CLAMP
12346037	SPACER
12346097	LANYARD
M83248/1-275	PACKING
M83248/1-268	PACKING

SPECIAL PACKAGING INSTRUCTION


Form Approved
OMB No. 0704-0188

-CC


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

5



 **FLUTE DIRECTION**
 **SCORES**



USING A GOOD GRADE OF COMMERCIAL ADHESIVE LAMINATE TO THE SPECIFIED THICKNESS.

SPECIAL PACKAGING INSTRUCTION


Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

6



USING A GOOD GRADE OF COMMERCIAL ADHESIVE LAMINATE TO THE SPECIFIED THICKNESS.



SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B



SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-CC

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12345984 (19207) FORDING KIT, WA	2. CODE IDENT 19207	3. SPI NO. AK13006502
4. NATIONAL STOCK NUMBER 2540-01-300-6502	5. DATE OF DRAWING 08/05/2010	6. REVISION B

