

SPECIAL PACKAGING INSTRUCTION

Form Approved -
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 8928647 (72582) HOUSING, FLYWHEEL			2. CODE IDENT 19207		3. SPI NO. AK12482560	
4. NATIONAL STOCK NUMBER 2815-01-248-2560			5. DATE OF DRAWING 06-29-2011		6. REVISION C	
7. QUP 1 EACH	8. ICQ NONE	9. UNIT PACK WT. (LB) 46.6	10. UNIT PACK CU (CU FT) 2.748		11. UNIT PACK SIZE (INCHES) 32 X 26.5 X 5.6	
12. MILITARY PRESERVATION (METHOD) MIL-STD-2073-1D, METHOD 20			18. STEPS 1B	19. REQ'D A/R	20. DESCRIPTION PRESERVATIVE: MIL-PRF-16173, GR 2	
13. CLEANING MIL-STD-2073-1D			2C		WRAP: MIL-PRF-121, TY II, SIZE: 30 X 50	
14. DRYING MIL-STD-2073-1D			3D	6	CUSHIONING: SEE NOTES	
			4E	1	CONTAINER: ASTM-D5118, CL WR, ST RSC, TY CF	
					GR V3c, SIZE: 31-1/2 X 26 X 5	
15. PACKING						
a. LEVEL A MIL-STD-2073-1D AND NOTE F						
b. LEVEL B MIL-STD-2073-1D AND NOTE F						
16. MARKING MIL-STD-129						

17. NOTES / DRAWING

- A. INSPECT PRESERVATION, UNIT PACK, AND PACKING IN ACCORDANCE WITH MIL-STD-2073-1D AND THE APPLICABLE CONTAINER SPECIFICATION.
- B. APPLY PRESERVATIVE TO ALL UNPAINTED, UNPLATED EXTERNAL METALLIC SURFACE.
- C. WRAP ITEM ENTIRELY WITH PAPER, SECURE WITH TAPE ASTM-D6123.
- D. SEE PAGES 2 AND 3.
- E. CLOSE CONTAINER IN ACCORDANCE WITH ASTM-D1974, METHOD 2B6.
- F. PACKING

LEVEL A PACKING SHALL BE ACCOMPLISHED USING WOOD-CLEATED PANELBOARD SHIPPING BOXES, CONFORMING TO ASTM-D 6251, TYPE III, CLASS 2 OR NAILED WOOD BOXES CONFORMING TO ASTM-D 6880, CLASS 2.

LEVEL B PACKING SHALL BE ACCOMPLISHED USING FIBERBOARD BOXES, WEATHER RESISTANT, CONFORMING TO ASTM-D 5118 OR TRIPLEWALL, CORRUGATED FIBERBOARD BOXES, CLASS 2, CONFORMING TO ASTM-D 5168. CLOSURE, SEALING, AND REINFORCEMENT SHALL BE IAW SPECIFIC, APPLICABLE METHODS OF ASTM-D 1974, OR AS REFERENCED IN THE CONTAINER SPECIFICATION.

WHEN THE TOTAL QUANTITY TO BE SHIPPED TO THE SAME DESTINATION EXCEEDS 125 POUNDS, EXTERIOR PACKS WITHOUT SKIDS SHALL BE PALLETIZED IN ACCORDANCE WITH MIL-STD-147.

SPECIAL PACKAGING INSTRUCTION



Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 8928647 (72582) HOUSING, FLYWHEEL	2. CODE IDENT 19207	3. SPI NO. AK12482560
4. NATIONAL STOCK NUMBER 2815-01-248-2560	5. DATE OF DRAWING 06-29-2011	6. REVISION C

17. NOTES / DRAWING

- PAD A - 2 EACH REQUIRED**
ASTM-D4727 , TYPE CF, GRADE 350# DW, DOM
LAMINATE USING A GOOD GRADE COMMERCIAL ADHESIVE WITH FLUTE
DIRECTIONS ALTERNATING.
- PAD B - 2 EACH REQUIRED**
ASTM-D4727 , TYPE CF, GRADE 350# DW, DOM
LAMINATE USING A GOOD GRADE COMMERCIAL ADHESIVE WITH DIRECTIONS
ALTERNATING.
- PAD C - 2 EACH REQUIRED**
ASTM-D4727 , TYPE CF, GRADE 200# SW, DOM
SIZE: 31 3/8 X 25 7/8



SPECIAL PACKAGING INSTRUCTION

Form Approved -
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 8928647 (72582) HOUSING, FLYWHEEL	2. CODE IDENT 19207	3. SPI NO. AK12482560
4. NATIONAL STOCK NUMBER 2815-01-248-2560	5. DATE OF DRAWING 06-29-2011	6. REVISION C

17. NOTES / DRAWING

