

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188

-FP
JO

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE N1601-4 (76761) GENERATOR, ENGINE ACCESSORY			2. CAGE 19207		3. SPI NO. AK15956726	
4. NATIONAL STOCK NO. 2920-01-595-6726			5. DATE 4/4/2012		6. REVISION A	
7. QUP 1 EA.	8. ICQ NONE	9. UNIT PACK WT (LB.) 165.0	10. UNIT PACK CU (CU. FT.) 4.093		11. UNIT PACK SIZE (INCHES) 20.5 X 15.0 X 23.0	
12. MILITARY PRESERVATION MIL-STD-2073-1D (METHOD 41)		18. STEPS	19. REQD	20. DESCRIPTION		
13. CLEANING MIL-STD-2073-1D AND NOTE B		1-C		PRESERVATIVE: MIL-PRF-16173, GRADE 4		
14. DRYING MIL-STD-2073-1D AND NOTE B		2-D		CAPS AND PLUGS: NAS847		
		3-E	1	WRAP: MIL-PRF-121, TYPE I, SIZE: 40 X 30		
15. PACKING		4-F	1	BAG: MIL-DTL-117, TYPE I, CLASS E, STYLE 1, SIZE 20 X 20		
a. LEVEL A MIL-STD-2073-1D AND NOTE J		5-G	1	CUSHIONING: A-A-59135, CLASS 1, GRADE A, THICKNESS: 1/4, SIZE: 40 X 30		
b. LEVEL B NOT APPLICABLE		6-H		BLOCKING/BRACING: ASTM D6199, GROUP II		
16. MARKING MIL-STD-129		7-I	1	UNIT CONTAINER: ASTM D 6251, TYPE III, CLASS 2, STYLE A, TREATMENT B SIZE: 18.0 X 12.5 X 17.0		

17. NOTES/DRAWING
- A. QUALITY ASSURANCE PROVISIONS: INSPECT PRESERVATION AND UNIT PACK IN ACCORDANCE WITH MIL-STD-2073. INSPECT THE PACKING IN ACCORDANCE WITH MIL-STD-1186 AND THE APPLICABLE CONTAINER SPECIFICATION.
 - B. CLEAN AND DRY ITEM BY ANY SUITABLE PROCESS BEFORE APPLICATION OF PACKAGING MATERIALS.
 - C. APPLY PRESERVATIVE TO ALL BARE UNPAINTED METALLIC SURFACES.
 - D. INSTALL CAPS AND PLUGS OF APPROPRIATE SIZE.
 - E. WRAP ITEM AND SECURE USING TAPE.
 - F. PLACE ITEM IN A BAG AND CLOSE BY HEAT SEALING.
 - G. WRAP ITEM IN CUSHIONING MATERIAL AND SECURE USING TAPE.
 - H. FOR FABRICATION AND PLACEMENT OF BLOCKING SEE PAGE 2. SECURE BLOCKING INTO CONTAINER AS SHOWN USING ASTM F1667 NAILS.
 - I. CLOSURE SHALL BE AS REFERENCED IN THE CONTAINER SPECIFICATION.
 - J. THE UNIT CONTAINER IS THE SHIPPING CONTAINER.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved **-FP**
OMB No. 0704-0188 **JO**


The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE N1601-4 (76761) GENERATOR, ENGINE ACCESSORY	2. CAGE 19207	3. SPI NO. AK15956726
4. NATIONAL STOCK NO. 2920-01-595-6726	5. DATE 4/4/2012	6. REVISION A

17. NOTES/DRAWINGS *CONTINUED*

ITEM	DESCRIPTION	SIZE (INCHES)	QUANTITY	REFERENCE
1	BLOCK	12-3/8 (ACTUAL) x 2 x 4 (NOMINAL)	2	ASTM-D6199, GROUP II
2	BLOCK	13-3/8 (ACTUAL) x 2 x 4 (NOMINAL)	4	ASTM-D6199, GROUP II
3	BLOCK	6-3/16 (ACTUAL) x 4 x 4 (NOMINAL)	4	ASTM-D6199, GROUP II

NOTE:
WRAP, BAG, AND CUSHIONING
NOT SHOWN FOR CLARITY.





SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved **-FP**
OMB No. 0704-0188 **JO**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE N1601-4 (76761) GENERATOR, ENGINE ACCESSORY	2. CAGE 19207	3. SPI NO. AK15956726
4. NATIONAL STOCK NO. 2920-01-595-6726	5. DATE 4/4/2012	6. REVISION A

17. NOTES/DRAWINGS *CONTINUED*



SIDE VIEW OF CONTAINER WALL

WHEN CORRECTLY ASSEMBLED AND INSTALLED BLOCKING BOARDS 1 SHOULD REST ON TOP OF THE GENERATOR. TEMPORARILY PLACE THE BLOCKING BOARDS IN THEIR RESPECTIVE POSITIONS WITHIN THE CONTAINER AND MARK THE LOCATIONS FOR ATTACHING BLOCKING BOARDS 1 TO BLOCKING BOARDS 2. DUE TO CLEARANCE RESTRICTIONS WITHIN THE CONTAINER, BLOCKING BOARDS 1 AND 2 SHOULD BE PREASSEMBLED. ONCE ASSEMBLED, POSITION THE BLOCKING BOARDS INSIDE THE CONTAINER AND SECURE BLOCKING BOARDS 2 TO THE INSIDE WALLS.