

**SPECIAL PACKAGING INSTRUCTION**Form Approved -BM  
OMB No. 0704-0188 WT

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 715531 (61208) INTERMEDIATE CARRIER ASSEMBLY			2. CAGE 19207		3. SPI NO. AK14238511	
4. NATIONAL STOCK NO. 3010-01-423-8511			5. DATE 03/14/2012		6. REVISION A	
7. QUP 1 EACH	8. ICQ NONE	9. UNIT PACK WT (LB.) 53.2		10. UNIT PACK CU (CU. FT.) 0.720	11. UNIT PACK SIZE (INCHES) 16.1 X 16.1 X 4.8	
12. MILITARY PRESERVATION MIL-STD-2073-1D, METHOD 42			18. STEPS	19. REQD	20. DESCRIPTION	
13. CLEANING MIL-STD-2073-1D			1-B	A/R	PRESERVATIVE: MIL-PRF-21260, GR. SAE 10W	
			2-C	1	WRAP: MIL-PRF-121, TY II, SIZE: 34 X 18	
14. DRYING MIL-STD-2073-1D			3-D		CUSHIONING: ASTM D4727, TY CF, CL DOM,	
					GR 275, VR SW	
15. PACKING			4-D		CUSHIONING: ASTM D5168, TY CF, CL DOM,	
					GR 1100, VR TW	
a. LEVEL A MIL-STD-2073-1D & NOTE G			5-E	1	CONTAINER: ASTM-D5118, TY CF, CL DOM,	
					GR 275, ST RSC, SIZE: 15-1/8 X 15-1/8 X 3-1/4	
b. LEVEL B MIL-STD-2073-1D & NOTE G			6-F	1	BAG: MIL-DTL-117, TY I, CL E, ST 1, SIZE: 21 X 22	
			7-E	1	CONTAINER: ASTM-D5118, TY CF, CL WR, GR W5c,	
16. MARKING MIL-STD-129					ST RSC, SIZE: 15-5/8 X 15-5/8 X 4	

**17. NOTES/DRAWING**

- A. INSPECT THE PRESERVATION AND UNIT PACK IN ACCORDANCE WITH MIL-STD-2073-1D. INSPECT THE PACKING IN ACCORDANCE WITH MIL-STD-1186 AND THE APPLICABLE CONTAINER SPECIFICATION.
- B. APPLY PRESERVATIVE TO ALL SURFACES OF CARRIER ASSEMBLY.
- C. APPLY ONE PIECE OF WRAP AROUND THE CARRIER ASSEMBLY AND SECURE USING TAPE.
- D. SEE PAGES 2 AND 3.
- E. CONTAINER CLOSURE SHALL BE IN ACCORDANCE WITH ASTM-D1974, METHOD 2B6.
- F. CLOSE BAG BY HEAT SEALING.
- G. PACKING:

LEVEL A PACKING SHALL BE ACCOMPLISHED USING WOOD-CLEATED PANELBOARD SHIPPING BOXES, CONFORMING TO ASTM-D 6251, TYPE III, CLASS 2 OR NAILED WOOD BOXES CONFORMING TO ASTM-D 6880, CLASS 2.

LEVEL B PACKING SHALL BE ACCOMPLISHED USING FIBERBOARD BOXES, WEATHER RESISTANT, CONFORMING TO ASTM-D 5118 OR TRIPLEWALL, CORRUGATED FIBERBOARD BOXES, CLASS 2, CONFORMING TO ASTM-D 5168. CLOSURE, SEALING, AND REINFORCEMENT SHALL BE IAW SPECIFIC, APPLICABLE METHODS OF ASTM-D 1974, OR AS REFERENCED IN THE CONTAINER SPECIFICATION.

WHEN TOTAL QUANTITY TO BE SHIPPED TO THE SAME DESTINATION EXCEEDS 125 POUNDS, EXTERIOR PACKS WITHOUT SKIDS SHALL BE PALLETIZED IN ACCORDANCE WITH MIL-STD-147.

**SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)**


Form Approved  
OMB No. 0704-0188

-BM

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.


1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 715531 (61208) INTERMEDIATE CARRIER ASSEMBLY	2. CAGE 19207	3. SPI NO. AK14238511
4. NATIONAL STOCK NO. 3010-01-423-8511	5. DATE 03/14/2012	6. REVISION A

17. NOTES/DRAWING





NOTE: GLUE ONE PAD 1 TO EACH CORNER OF ONE PAD 2 AS SHOWN, TO MAKE ITEM A.

PAD 1 FIBERBOARD PAD, ASTM D5168, TY CF, CL DOM, VAR TW, GR 1100, QTY 8 EACH. GLUE TWO TOGETHER TO MAKE PAD 1.



PAD 2 FIBERBOARD PAD, ASTM D 4727, TY CF, CL DOM, VAR SW, GR 275, QTY 2 EACH.



**SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)**

Form Approved  
OMB No. 0704-0188

-BM

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE ABOVE ORGANIZATION.

<b>1. PART OR DRAWING NO. (CAGE) NOMENCLATURE</b> 715531 (61208) INTERMEDIATE CARRIER ASSEMBLY	<b>2. CAGE</b> 19207	<b>3. SPI NO.</b> AK14238511
<b>4. NATIONAL STOCK NO.</b> 3010-01-423-8511	<b>5. DATE</b> 03/14/2012	<b>6. REVISION</b> A

**17. NOTES/DRAWING**

